



MALLEABLE IRON FITTINGS

STEEL NIPPLES & PIPE



WWW.CODARESOURCES.COM

WWW.CAMBRIDGERESOURCES.COM • WWW.STZINDUSTRIES.COM



AFFILIATE BRANDS



**PREMIUM
QUALITY
PRODUCTS
& SERVICES**

Coda pledges to our customers, suppliers, and employees to continuously improve our products, processes and offerings in order to ensure that working with us remains the most enjoyable and satisfying experience in the industry.

**INNOVATION
BEST VALUE
QUICK
TURNAROUND
COMPETITIVE
PRICING
PROFICIENT
CUSTOMER SERVICE**

4

BLACK MALLEABLE IRON FITTINGS

- 04 90° Elbows
- 04 90° Reducing Elbows
- 04 90° Street Elbows
- 04 45° Elbows
- 05 45° Street Elbows
- 05 Side Outlet Elbows
- 05 Couplings
- 05 Reducing Couplings
- 06 Bushings
- 06 Tees
- 06 Reducing Tees
- 07 Side Outlet Tees
- 07 Extension Pieces
- 07 Unions
- 07 Caps
- 08 Plugs
- 08 Crosses
- 08 Round Flanges

9

PIPE DÉCOR

- 09 3-Way Fittings
- 09 4-Way Fittings
- 09 5-Way Fittings
- 09 6-Way Fittings
- 09 Square Elbows
- 09 Square Caps
- 09 Mini Round Flanges
- 09 Mini Square Flanges
- 09 Square Flanges
- 09 Casters
- 09 Hooks

12

BLACK STEEL NIPPLES, PIPE & MERCHANT COUPLINGS

- 12 Black Steel Nipples
- 15 Black Cut Pipe
- 16 Black 10' Pipe
- 16 Black Merchant Couplings

17

GALVANIZED MALLEABLE IRON FITTINGS

- 17 90° Elbows
- 17 90° Reducing Elbows
- 17 90° Street Elbows
- 17 45° Elbows
- 18 45° Street Elbows
- 18 Side Outlet Elbows
- 18 Couplings
- 18 Reducing Couplings
- 19 Bushings
- 19 Tees
- 19 Reducing Tees
- 20 Side Outlet Tees
- 20 Unions
- 20 Caps
- 20 Plugs
- 21 Compression Couplings
- 21 Crosses
- 21 Round Flanges
- 21 Lock Nuts

22

GALVANIZED STEEL NIPPLES, PIPE & MERCHANT COUPLINGS

- 22 Galvanized Steel Nipples
- 24 Galvanized Cut Pipe
- 25 Galvanized 10' Pipe
- 25 Galvanized Merchant Couplings

BLACK MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

STZ™ fittings are composed of durable black iron and are 100% pressure tested right in the factory. Fittings are available in an array of sizes for residential gas, air, and low pressure applications.

*Not for use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects

90° Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 E90-18	501439	1/8"	Box of 10	720 pcs
310 E90-14	501438	1/4"	N/A	10 pcs
310 E90-38	501441	3/8"	N/A	5 pcs
312 E90-12	502056	1/2"	N/A	25 pcs
312 E90-12-2 (2 pk)	523969	1/2"	N/A	10 pcs
312 E90-12/10 (10 pk)	502057	1/2"	Box of 5	30 pcs
312 E90-34	502058	3/4"	N/A	25 pcs
312 E90-34-2 (2 pk)	523970	3/4"	N/A	10 pcs
312 E90-34/10 (10 pk)	502059	3/4"	Box of 5	15 pcs
310 E90-1	501435	1"	N/A	10 pcs
310 E90-114	501437	1-1/4"	N/A	5 pcs
310 E90-112	501436	1-1/2"	N/A	5 pcs
310 E90-2	501440	2"	N/A	4 pcs
350 E90-212	502510	2-1/2"	N/A	16 pcs
350 E90-3	502511	3"	N/A	8 pcs
350 E90-4	502512	4"	N/A	4 pcs

BULK OPTIONS

FMB E90-12	505825	1/2"	Box of 50	200 pcs
FMB E90-34	505831	3/4"	Box of 35	105 pcs
FMB E90-1	505822	1"	Box of 20	60 pcs
FMB E90-114	505824	1-1/4"	Box of 20	40 pcs

90° Reducing Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 RE-1214	501491	1/2" x 1/4"	N/A	25 pcs
310 RE-1238	501492	1/2" x 3/8"	N/A	10 pcs
310 RE-3438	501497	3/4" x 3/8"	N/A	25 pcs
310 RE-3412	501496	3/4" x 1/2"	N/A	10 pcs
310 RE-112	501486	1" x 1/2"	N/A	10 pcs
310 RE-134	501493	1" x 3/4"	N/A	5 pcs
310 RE-11434	501490	1-1/4" x 3/4"	N/A	5 pcs
310 RE-1141	501489	1-1/4" x 1"	N/A	5 pcs
310 RE-1121	501487	1-1/2" x 1"	N/A	5 pcs
310 RE-112114	501488	1-1/2" x 1-1/4"	N/A	5 pcs
310 RE-2112	501495	2" x 1-1/2"	N/A	5 pcs

90° Street Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 SE90-18	501547	1/8"	Box of 10	720 pcs
310 SE90-14	501546	1/4"	N/A	10 pcs
310 SE90-38	501550	3/8"	N/A	5 pcs
310 SE90-12	501545	1/2"	N/A	15 pcs
310 SE90-34	501549	3/4"	N/A	15 pcs
310 SE90-1	501542	1"	N/A	5 pcs
310 SE90-114	501544	1-1/4"	N/A	5 pcs
310 SE90-112	501543	1-1/2"	N/A	5 pcs
310 SE90-2	501548	2"	N/A	4 pcs
350 SE90-3	502523	3"	N/A	8 pcs
350 SE90-4	502524	4"	N/A	4 pcs

BULK OPTIONS

FMB SE90-12	506265	1/2"	Box of 60	180 pcs
FMB SE90-34	506271	3/4"	Box of 35	105 pcs
FMB SE90-1	506262	1"	Box of 45	90 pcs

45° Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 E45-14	501431	1/4"	Box of 10	720 pcs
310 E45-38	501434	3/8"	N/A	10 pcs
310 E45-12	501430	1/2"	N/A	10 pcs
310 E45-34	501433	3/4"	N/A	10 pcs
310 E45-1	501427	1"	N/A	5 pcs
310 E45-114	501429	1-1/4"	N/A	5 pcs
310 E45-112	501428	1-1/2"	N/A	5 pcs
310 E45-2	501432	2"	N/A	4 pcs
350 E45-212	502507	2-1/2"	N/A	16 pcs

BULK OPTIONS

FMB E45-12	505814	1/2"	Box of 50	200 pcs
FMB E45-34	505819	3/4"	Box of 40	120 pcs
FMB E45-1	505811	1"	Box of 20	60 pcs

BLACK MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

45° Street Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 SE45-18	501538	1/8"	Box of 10	720 pcs
310 SE45-14	501537	1/4"	Box of 10	360 pcs
310 SE45-38	501541	3/8"	N/A	10 pcs
310 SE45-12	501536	1/2"	N/A	5 pcs
310 SE45-34	501540	3/4"	N/A	5 pcs
310 SE45-1	501533	1"	N/A	5 pcs
310 SE45-114	501535	1-1/4"	N/A	5 pcs
310 SE45-112	501534	1-1/2"	N/A	5 pcs
310 SE45-2	501539	2"	N/A	5 pcs

BULK OPTIONS

FMB SE45-12	506256	1/2"	Box of 75	225 pcs
-------------	--------	------	-----------	---------

Side Outlet Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 SOE-38	501552	3/8"	N/A	10 pcs
310 SOE-12	501551	1/2"	N/A	6 pcs
310 SOE-1	114911	1"	N/A	8 pcs

Couplings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 CO-18	501419	1/8"	Box of 10	720 pcs
310 CO-14	501418	1/4"	N/A	10 pcs
310 CO-38	501421	3/8"	N/A	10 pcs
312 CO-12	502052	1/2"	N/A	25 pcs
312 CO-12/10 (10 pk)	502053	1/2"	Box of 5	30 pcs
312 CO-34	502054	3/4"	N/A	25 pcs
312 CO-34/10 (10 pk)	502055	3/4"	Box of 5	20 pcs
310 CO-1	501415	1"	N/A	10 pcs
310 CO-114	501417	1-1/4"	N/A	5 pcs
310 CO-112	501416	1-1/2"	N/A	5 pcs
310 CO-2	501420	2"	N/A	4 pcs
350 CO-212	502504	2-1/2"	N/A	24 pcs
350 CO-3	502505	3"	N/A	16 pcs

BULK OPTIONS

FMB CO-12	505798	1/2"	Box of 60	240 pcs
FMB CO-34	505804	3/4"	Box of 50	150 pcs
FMB CO-1	505795	1"	Box of 25	100 pcs

Reducing Couplings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 RC-1418	501474	1/4" x 1/8"	Box of 10	720 pcs
310 RC-3818	501485	3/8" x 1/8"	Box of 10	720 pcs
310 RC-3814	501484	3/8" x 1/4"	Box of 10	360 pcs
310 RC-1218	501471	1/2" x 1/8"	N/A	25 pcs
310 RC-1214	501470	1/2" x 1/4"	N/A	25 pcs
310 RC-1238	501472	1/2" x 3/8"	N/A	15 pcs
310 RC-3414	501481	3/4" x 1/4"	N/A	25 pcs
310 RC-3438	501483	3/4" x 3/8"	N/A	25 pcs
310 RC-3412	501480	3/4" x 1/2"	N/A	15 pcs
310 RC-112	501462	1" x 1/2"	N/A	5 pcs
310 RC-134	501473	1" x 3/4"	N/A	10 pcs
310 RC-11412	501468	1-1/4" x 1/2"	N/A	5 pcs
310 RC-11434	501469	1-1/4" x 3/4"	N/A	5 pcs
310 RC-1141	501467	1-1/4" x 1"	N/A	5 pcs
310 RC-11212	501465	1-1/2" x 1/2"	N/A	5 pcs
310 RC-11234	501466	1-1/2" x 3/4"	N/A	5 pcs
310 RC-1121	501463	1-1/2" x 1"	N/A	5 pcs
310 RC-112114	501464	1-1/2" x 1-1/4"	N/A	5 pcs
310 RC-212	501478	2" x 1/2"	N/A	5 pcs
310 RC-234	501479	2" x 3/4"	N/A	5 pcs
310 RC-21	501475	2" x 1"	N/A	5 pcs
310 RC-2114	501477	2" x 1-1/4"	N/A	5 pcs
310 RC-2112	501476	2" x 1-1/2"	N/A	5 pcs
350 RC-2122	502517	2-1/2" x 2"	N/A	24 pcs
350 RC-32	502518	3" x 2"	N/A	16 pcs
350 RC-3212	502519	3" x 2-1/2"	N/A	16 pcs
350 RC-43	502520	4" x 3"	N/A	8 pcs

BULK OPTIONS

FMB RC-1214	506179	1/2" x 1/4"	Box of 75	300 pcs
FMB RC-1238	506181	1/2" x 3/8"	Box of 60	240 pcs
FMB RC-3412	506193	3/4" x 1/2"	Box of 60	180 pcs
FMB RC-114	506175	1" x 1/4"	Box of 45	135 pcs
FMB RC-112	506170	1" x 1/2"	Box of 30	120 pcs
FMB RC-134	506182	1" x 3/4"	Box of 25	100 pcs
FMB RC-1141	506176	1-1/4" x 1"	Box of 15	60 pcs

BLACK MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

Bushings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 B-1418	501394	1/4" x 1/8"	Box of 10	720 pcs
310 B-3818	501405	3/8" x 1/8"	Box of 10	720 pcs
310 B-3814	501404	3/8" x 1/4"	N/A	10 pcs
310 B-1218	501390	1/2" x 1/8"	Box of 25	900 pcs
310 B-1214	501389	1/2" x 1/4"	N/A	10 pcs
310 B-1238	501391	1/2" x 3/8"	N/A	15 pcs
310 B-3418	501402	3/4" x 1/8"	N/A	25 pcs
310 B-3414	501401	3/4" x 1/4"	N/A	25 pcs
310 B-3438	501403	3/4" x 3/8"	N/A	25 pcs
310 B-3412	501400	3/4" x 1/2"	N/A	15 pcs
310 B-114	501385	1" x 1/4"	Box of 10	360 pcs
310 B-138	501393	1" x 3/8"	N/A	10 pcs
310 B-112	501380	1" x 1/2"	N/A	10 pcs
310 B-134	501392	1" x 3/4"	N/A	10 pcs
310 B-11412	501387	1-1/4" x 1/2"	N/A	5 pcs
310 B-11434	501388	1-1/4" x 3/4"	N/A	5 pcs
310 B-1141	501386	1-1/4" x 1"	N/A	5 pcs
310 B-11212	501383	1-1/2" x 1/2"	N/A	5 pcs
310 B-11234	501384	1-1/2" x 3/4"	N/A	5 pcs
310 B-1121	501381	1-1/2" x 1"	N/A	5 pcs
310 B-112114	501382	1-1/2" x 1-1/4"	N/A	5 pcs
310 B-212	501398	2" x 1/2"	N/A	5 pcs
310 B-234	501399	2" x 3/4"	N/A	5 pcs
310 B-21	501395	2" x 1"	N/A	5 pcs
310 B-2114	501397	2" x 1-1/4"	N/A	5 pcs
310 B-2112	501396	2" x 1-1/2"	N/A	3 pcs
350 B-21234	502494	2-1/2" x 3/4"	Box of 8	64 pcs
350 B-212114	511653	2-1/2" x 1-1/4"	Box of 8	64 pcs
350 B-212112	502492	2-1/2" x 1-1/2"	Box of 8	64 pcs
350 B-2122	502493	2-1/2" x 2"	Box of 8	64 pcs
350 B-3112	502495	3" x 1-1/2"	Box of 6	48 pcs
350 B-32	502496	3" x 2"	Box of 6	48 pcs
350 B-3212	502497	3" x 2-1/2"	Box of 6	48 pcs
350 B-42	502499	4" x 2"	Box of 6	36 pcs
350 B-43	502500	4" x 3"	Box of 6	36 pcs

BULK OPTIONS

FMB B-3412	505742	3/4" x 1/2"	Box of 75	300 pcs
FMB B-112	505714	1" x 1/2"	Box of 50	200 pcs
FMB B-134	505726	1" x 3/4"	Box of 50	200 pcs
FMB B-1141	505720	1-1/4" x 1"	Box of 30	120 pcs
FMB B-112114	505716	1-1/2" x 1-1/4"	Box of 25	75 pcs

Tees



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 T-18	501559	1/8"	Box of 10	720 pcs
310 T-14	501558	1/4"	N/A	10 pcs
310 T-38	501561	3/8"	N/A	5 pcs
312 T-12	502060	1/2"	N/A	25 pcs
312 T-34	502061	3/4"	N/A	15 pcs
312 T-34/10 (10 pk)	502062	3/4"	Box of 5	15 pcs
310 T-1	501555	1"	N/A	5 pcs
310 T-114	501557	1-1/4"	N/A	5 pcs
310 T-112	501556	1-1/2"	N/A	3 pcs
310 T-2	501560	2"	N/A	4 pcs
350 T-212	502525	2-1/2"	N/A	12 pcs
350 T-3	505526	3"	N/A	8 pcs
350 T-4	502527	4"	N/A	4 pcs

BULK OPTIONS

FMB T-14	506278	1/4"	Box of 75	300 pcs
FMB T-12	506277	1/2"	Box of 40	120 pcs
FMB T-34	506283	3/4"	Box of 35	70 pcs
FMB T-1	506274	1"	Box of 20	40 pcs

Reducing Tees



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 RT-121238	501515	1/2" x 1/2" x 3/8"	N/A	25 pcs
310 RT-121234	501514	1/2" x 1/2" x 3/4"	N/A	3 pcs
310 RT-341212	501528	3/4" x 1/2" x 1/2"	N/A	10 pcs
310 RT-341234	501529	3/4" x 1/2" x 3/4"	N/A	10 pcs
310 RT-343438	501532	3/4" x 3/4" x 3/8"	N/A	10 pcs
310 RT-343412	501531	3/4" x 3/4" x 1/2"	N/A	10 pcs
310 RT-11234	501506	1" x 1/2" x 3/4"	N/A	10 pcs
310 RT-1121	501499	1" x 1/2" x 1"	N/A	10 pcs
310 RT-13412	501517	1" x 3/4" x 1/2"	N/A	10 pcs
310 RT-13434	501518	1" x 3/4" x 3/4"	N/A	5 pcs
310 RT-1341	501516	1" x 3/4" x 1"	N/A	10 pcs
310 RT-1112	501498	1" x 1" x 1/2"	N/A	5 pcs
310 RT-1134	501508	1" x 1" x 3/4"	N/A	5 pcs
310 RT-11411	501509	1-1/4" x 1" x 1"	N/A	5 pcs
310 RT-11411412	501511	1-1/4" x 1-1/4" x 1/2"	N/A	5 pcs
310 RT-11411434	501512	1-1/4" x 1-1/4" x 3/4"	N/A	5 pcs
310 RT-1141141	501510	1-1/4" x 1-1/4" x 1"	N/A	5 pcs

BLACK MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

Reducing Tees *continued*



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 RT-11211212	501502	1-1/2" x 1-1/2" x 1/2"	N/A	5 pcs
310 RT-11211234	501503	1-1/2" x 1-1/2" x 3/4"	N/A	5 pcs
310 RT-1121121	501500	1-1/2" x 1-1/2" x 1"	N/A	5 pcs
310 RT-112112114	501501	1-1/2" x 1-1/2" x 1-1/4"	N/A	5 pcs
310 RT-21122	501521	2" x 1-1/2" x 2"	N/A	4 pcs
310 RT-2212	501526	2" x 2" x 1/2"	N/A	5 pcs
310 RT-2234	501527	2" x 2" x 3/4"	N/A	5 pcs
310 RT-221	501523	2" x 2" x 1"	N/A	4 pcs
310 RT-22114	501525	2" x 2" x 1-1/4"	N/A	4 pcs
310 RT-22112	501524	2" x 2" x 1-1/2"	N/A	4 pcs
350 RT-21221212	502521	2-1/2" x 2-1/2" x 1-1/2"	N/A	12 pcs

BULK OPTIONS

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
FMB RT-341212	506247	3/4" x 1/2" x 1/2"	Box of 25	100 pcs
FMB RT-341234	506248	3/4" x 1/2" x 3/4"	Box of 20	80 pcs
FMB RT-343412	506250	3/4" x 3/4" x 1/2"	Box of 20	80 pcs
FMB RT-1112	506214	1" x 1" x 1/2"	Box of 15	60 pcs
FMB RT-11411412	506227	1-1/4" x 1-1/4" x 1/2"	Box of 20	40 pcs

Side Outlet Tees



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 SOT-38	501554	3/8"	N/A	10 pcs
310 SOT-12	501553	1/2"	N/A	6 pcs
310 SOT-34	114913	3/4"	N/A	10 pcs
310 SOT-1	114912	1"	N/A	8 pcs

Extension Pieces



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 EP-1	501442	1"	N/A	10 pcs

Unions



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 U-14	501566	1/4"	Box of 10	360 pcs
310 U-38	501570	3/8"	Box of 5	180 pcs
310 U-12	501565	1/2"	N/A	15 pcs
310 U-34	501569	3/4"	N/A	15 pcs
310 U-1	501562	1"	N/A	5 pcs
310 U-114	501564	1-1/4"	N/A	5 pcs
310 U-112	501563	1-1/2"	N/A	4 pcs
310 U-2	501568	2"	N/A	3 pcs
350 U-3	502529	3"	N/A	8 pcs

BULK OPTIONS

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
FMB U-12	506289	1/2"	Box of 50	100 pcs
FMB U-34	506294	3/4"	Box of 35	70 pcs
FMB U-1	506286	1"	Box of 20	40 pcs
FMB U-112	506287	1-1/2"	Box of 10	20 pcs

Caps



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 CA-18	501411	1/8"	Box of 10	720 pcs
310 CA-14	501410	1/4"	N/A	10 pcs
310 CA-38	501414	3/8"	N/A	10 pcs
310 CA-12	501409	1/2"	N/A	25 pcs
310 CA-12-10 (10 pk)	523869	1/2"	N/A	8 pcs
310 CA-34	501413	3/4"	N/A	25 pcs
310 CA-1	501406	1"	N/A	10 pcs
310 CA-114	501408	1-1/4"	N/A	5 pcs
310 CA-112	501407	1-1/2"	N/A	5 pcs
310 CA-2	501412	2"	N/A	5 pcs
350 CA-212	502501	2-1/2"	Box of 6	48 pcs
350 CA-3	502502	3"	Box of 6	36 pcs
350 CA-4	502503	4"	N/A	16 pcs

BULK OPTIONS

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
FMB CA-12	505786	1/2"	Box of 75	300 pcs
FMB CA-34	505792	3/4"	Box of 40	160 pcs
FMB CA-1	505783	1"	Box of 25	100 pcs

BLACK MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

Plugs



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 P-18	501458	1/8"	Box of 10	720 pcs
310 P-14	501457	1/4"	N/A	10 pcs
310 P-38	501461	3/8"	N/A	10 pcs
310 P-12	501456	1/2"	N/A	25 pcs
310 P-34	501460	3/4"	N/A	20 pcs
310 P-1	501453	1"	N/A	10 pcs
310 P-114	501455	1-1/4"	N/A	5 pcs
310 P-112	501454	1-1/2"	N/A	4 pcs
310 P-2	501459	2"	N/A	5 pcs
350 P-212	502513	2-1/2"	Box of 12	96 pcs
350 P-3	502514	3"	Box of 9	72 pcs
350 P-4	502515	4"	Box of 6	36 pcs

BULK OPTIONS

FMB P-12	506161	1/2"	Box of 50	600 pcs
FMB P-34	506167	3/4"	Box of 30	360 pcs
FMB P-1	506158	1"	Box of 20	240 pcs
FMB P-2	506164	2"	Box of 20	60 pcs

Round Flanges



- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 F-38	501451	3/8"	N/A	10 pcs
310 F-12	501446	1/2"	N/A	18 pcs
310 F-12-2 (2 pk)	501447	1/2"	N/A	10 pcs
310 F-12-6 (6 pk)	523865	1/2"	N/A	4 pcs
310 F-34	501449	3/4"	N/A	18 pcs
310 F-34-2 (2 pk)	501450	3/4"	N/A	10 pcs
310 F-34-6 (6 pk)	523866	3/4"	N/A	4 pcs
310 F-1	501443	1"	N/A	10 pcs
310 F-1-6 (6 pk)	523863	1"	N/A	4 pcs
310 F-114	501445	1-1/4"	N/A	5 pcs
310 F-112	501444	1-1/2"	N/A	5 pcs
310 F-2	501448	2"	N/A	4 pcs

BULK OPTIONS

FMB F-12	516852	1/2"	Box of 25	50 pcs
FMB F-34	506156	3/4"	Box of 15	45 pcs
FMB F-1	506152	1"	Box of 15	30 pcs
FMB F-114	506154	1-1/4"	Box of 10	30 pcs
FMB F-2	506155	2"	Box of 8	16 pcs

Crosses



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- UL and FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 CR-38	501426	3/8"	N/A	10 pcs
310 CR-12	501423	1/2"	N/A	10 pcs
310 CR-34	501425	3/4"	N/A	10 pcs
310 CR-1	501422	1"	N/A	10 pcs
310 CR-2	501424	2"	N/A	4 pcs

PIPE DÉCOR / PROJECT BUILD

3 Way Fittings



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 SOE-38	501552	3/8"	N/A	10 pcs
310 SOE-12	501551	1/2"	N/A	6 pcs
310 SOE-1	114911	1"	N/A	8 pcs

4 Way Fittings



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
310 SOT-38	501554	3/8"	N/A	10 pcs
310 SOT-12	501553	1/2"	N/A	6 pcs
310 SOT-34	114913	3/4"	N/A	10 pcs
310 SOT-1	114912	1"	N/A	8 pcs

5 Way Fittings



ITEM#	11SKU#	NPS	INNER QTY	CASE QTY
366 CRSO-38	502711	3/8"	Box of 10	120 pcs
366 CRSO-12	502710	1/2"	N/A	6 pcs
366 CRSO-34	114917	3/4"	N/A	4 pcs
366 CRSO-1	114916	1"	N/A	4 pcs

6 Way Fittings



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 CRDO-38	502709	3/8"	Box of 5	80 pcs
366 CRDO-12	502708	1/2"	N/A	4 pcs
366 CRDO-34	114915	3/4"	N/A	4 pcs
366 CRDO-1	114914	1"	N/A	4 pcs

Square Elbows



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 SQE90-12-2 (2 pk)	525663	1/2"	N/A	10 pcs
366 SQE90-34-2 (2 pk)	114943	3/4"	N/A	12 pcs
366 SQE90-1-2 (2 pk)	114921	1"	N/A	5 pcs

Square Caps



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 SQCA-12-2 (2 pk)	525614	1/2"	N/A	12 pcs
366 SQCA-34-2 (2 pk)	114920	3/4"	N/A	12 pcs
366 SQCA-1-2 (2 pk)	114919	1"	N/A	5 pcs

Mini Round Flanges



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 FM-JR-12-8 (Jar of 8)	524855	1/2"	N/A	6 pcs
366 FM-1-4 (4 pk)	114918	1"	N/A	5 pcs

Mini Square Flanges



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 FMS-JR-12-8 (Jar of 8)	525168	1/2"	N/A	6 pcs

Square Flanges



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 SQFL-12-2 (2 pk)	525612	1/2"	N/A	10 pcs
366 SQFL-34-2 (2 pk)	525616	3/4"	N/A	10 pcs
366 SQFL-1-2 (2 pk)	525615	1"	N/A	8 pcs

Casters




ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 CASTER-2 (2 pk)	525169	1/2"	Bag of 6	24 pcs

Hooks



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
366 DECORHOOK-2 (2 pk)	525613	N/A	Bag of 16	256 pcs

PIPE DECOR



**NOT
JUST
FOR
PLUMBING**

anymore...

Our fittings are cleaner than the competition - No oily residue!



square flanges



mini square flanges

mini round flanges

square caps

square elbows

casters



BLACK STEEL NIPPLES - SCHEDULE 40

STZ nipples are composed of durable, schedule 40 black steel. They are hydrostatically tested and available in sizes to fit residential and light commercial gas and air applications.

*Not for use with drinking water


*Always check your local plumbing and gas codes before starting any piping projects

Nipples



BLACK NIPPLES Ø Sizing Chart
To scale

Size	O.D.
4"	4.50"
3"	3.50"
2 ½"	2.875"
2"	2.375"
1½"	1.90"
1¼"	1.66"
1"	1.315"
¾"	1.05"
½"	.84"
¾"	.675"
¼"	.54"
1/8"	.405"



BLACK STEEL NIPPLES - SCHEDULE 40

Nipples



- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1/8"				
308 18XCL	501294	1/8" x Close	N/A	10 pcs
308 18X112	501283	1/8" x 1-1/2"	Box of 10	360 pcs
308 18X2	501285	1/8" x 2"	N/A	10 pcs
308 18X212	501286	1/8" x 2-1/2"	Box of 10	360 pcs
308 18X3	501287	1/8" x 3"	Box of 10	360 pcs
308 18X312	501288	1/8" x 3-1/2"	Box of 10	360 pcs
308 18X4	501289	1/8" x 4"	N/A	10 pcs

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1/8" continued				
308 18X412	501290	1/8" x 4-1/2"	N/A	10 pcs
308 18X5	501291	1/8" x 5"	N/A	10 pcs
308 18X6	501292	1/8" x 6"	N/A	10 pcs
308 18X8	501293	1/8" x 8"	N/A	10 pcs
308 18X12	501284	1/8" x 12"	N/A	10 pcs
1/4" · Rated maximum 188 psi at 400°F				
308 14XCL	501282	1/4" x Close	N/A	10 pcs
308 14X112	501270	1/4" x 1-1/2"	Box of 10	360 pcs
308 14X2	501272	1/4" x 2"	N/A	10 pcs
308 14X212	501273	1/4" x 2-1/2"	Box of 10	360 pcs
308 14X3	501274	1/4" x 3"	N/A	10 pcs
308 14X312	501275	1/4" x 3-1/2"	Box of 10	360 pcs
308 14X4	501276	1/4" x 4"	N/A	5 pcs

BLACK STEEL NIPPLES - SCHEDULE 40

Nipples *continued*



- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1/4" <i>continued</i> · Rated maximum 188 psi at 400°F				
308 14X412	501277	1/4" x 4-1/2"	N/A	10 pcs
308 14X5	501278	1/4" x 5"	N/A	5 pcs
308 14X512	501279	1/4" x 5-1/2"	N/A	10 pcs
308 14X6	501280	1/4" x 6"	N/A	10 pcs
308 14X8	501281	1/4" x 8"	N/A	10 pcs
308 14X10	501269	1/4" x 10"	N/A	10 pcs
308 14X12	501271	1/4" x 12"	N/A	10 pcs
3/8" · Rated maximum 203 psi at 400°F				
308 38XCL	501308	3/8" x Close	N/A	10 pcs
308 38X112	501296	3/8" x 1-1/2"	N/A	10 pcs
308 38X2	501298	3/8" x 2"	N/A	10 pcs
308 38X212	501299	3/8" x 2-1/2"	Box of 10	360 pcs
308 38X3	501300	3/8" x 3"	N/A	10 pcs
308 38X312	501301	3/8" x 3-1/2"	Box of 10	360 pcs
308 38X4	501302	3/8" x 4"	N/A	5 pcs
308 38X412	501303	3/8" x 4-1/2"	N/A	10 pcs
308 38X5	501304	3/8" x 5"	N/A	10 pcs
308 38X512	501305	3/8" x 5-1/2"	N/A	10 pcs
308 38X6	501306	3/8" x 6"	N/A	5 pcs
308 38X8	501307	3/8" x 8"	N/A	10 pcs
308 38X10	501295	3/8" x 10"	N/A	10 pcs
308 38X12	501297	3/8" x 12"	N/A	10 pcs
1/2" · Rated maximum 214 psi at 400°F				
300 12XCL	500854	1/2" x Close	N/A	15 pcs
300 12X112	500842	1/2" x 1-1/2"	N/A	20 pcs
300 12X2	500843	1/2" x 2"	N/A	25 pcs
300 12X212	500844	1/2" x 2-1/2"	N/A	15 pcs
300 12X3	500845	1/2" x 3"	N/A	25 pcs
300 12X312	500846	1/2" x 3-1/2"	N/A	15 pcs
300 12X4	500847	1/2" x 4"	N/A	20 pcs
300 12X412	500848	1/2" x 4-1/2"	N/A	15 pcs
300 12X5	500849	1/2" x 5"	N/A	15 pcs
300 12X512	500850	1/2" x 5-1/2"	N/A	25 pcs
300 12X6	500851	1/2" x 6"	N/A	15 pcs
302 12X7	501069	1/2" x 7"	N/A	25 pcs
302 12X8	501070	1/2" x 8"	N/A	15 pcs
302 12X9	501071	1/2" x 9"	N/A	25 pcs
302 12X10	501066	1/2" x 10"	N/A	15 pcs
302 12X11	501067	1/2" x 11"	N/A	25 pcs
302 12X12	501068	1/2" x 12"	N/A	15 pcs
300 12XASST-25	500852	25 pcs 1/2" asstd	N/A	16 Boxes
300 12XASST-66	500853	66 pcs 1/2" asstd	N/A	2 Trays

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
BULK OPTIONS				
1/2" · Rated maximum 214 psi at 400°F				
FNB 12XCL	506799	1/2" x Close	Box of 25	450 pcs
FNB 12X112	506785	1/2" x 1-1/2"	Box of 25	400 pcs
FNB 12X2	506787	1/2" x 2"	Box of 25	400 pcs
FNB 12X212	506788	1/2" x 2-1/2"	Box of 25	300 pcs
FNB 12X3	506789	1/2" x 3"	Box of 25	300 pcs
FNB 12X312	506790	1/2" x 3-1/2"	Box of 25	300 pcs
FNB 12X4	506791	1/2" x 4"	Box of 25	300 pcs
FNB 12X412	506792	1/2" x 4-1/2"	Box of 25	200 pcs
FNB 12X5	506793	1/2" x 5"	Box of 25	200 pcs
FNB 12X6	506795	1/2" x 6"	Box of 25	200 pcs
FNB 12X8	506797	1/2" x 8"	Box of 25	150 pcs
FNB 12X10	506783	1/2" x 10"	Box of 25	100 pcs
FNB 12X12	506786	1/2" x 12"	Box of 25	100 pcs
3/4" · Rated maximum 217 psi at 400°F				
300 34XCL	500888	3/4" x Close	N/A	15 pcs
300 34X112	500876	3/4" x 1-1/2"	N/A	15 pcs
300 34X2	500877	3/4" x 2"	N/A	20 pcs
300 34X212	500878	3/4" x 2-1/2"	N/A	15 pcs
300 34X3	500879	3/4" x 3"	N/A	15 pcs
300 34X312	500880	3/4" x 3-1/2"	N/A	15 pcs
300 34X4	500881	3/4" x 4"	N/A	15 pcs
300 34X412	500882	3/4" x 4-1/2"	N/A	20 pcs
300 34X5	500883	3/4" x 5"	N/A	20 pcs
300 34X512	500884	3/4" x 5-1/2"	N/A	25 pcs
300 34X6	500885	3/4" x 6"	N/A	15 pcs
302 34X7	501087	3/4" x 7"	N/A	25 pcs
302 34X8	501088	3/4" x 8"	N/A	10 pcs
302 34X9	501089	3/4" x 9"	N/A	25 pcs
302 34X10	501084	3/4" x 10"	N/A	10 pcs
302 34X11	501085	3/4" x 11"	N/A	25 pcs
302 34X12	501086	3/4" x 12"	N/A	15 pcs
300 34XASST-25	500886	25 pcs 3/4" asstd	N/A	12 Boxes
300 34XASST-66	500887	66 pcs 3/4" asstd	N/A	2 Trays
BULK OPTIONS				
3/4" · Rated maximum 214 psi at 400°F				
FNB 34XCL	506882	3/4" x Close	Box of 25	450 pcs
FNB 34X112	506868	3/4" x 1-1/2"	Box of 25	450 pcs
FNB 34X2	506870	3/4" x 2"	Box of 25	300 pcs
FNB 34X212	506871	3/4" x 2-1/2"	Box of 25	200 pcs
FNB 34X3	506872	3/4" x 3"	Box of 25	200 pcs
FNB 34X4	506874	3/4" x 4"	Box of 25	150 pcs
FNB 34X5	506876	3/4" x 5"	Box of 25	150 pcs
FNB 34X6	506878	3/4" x 6"	Box of 25	150 pcs
FNB 34X8	506880	3/4" x 8"	Box of 25	100 pcs
FNB 34X10	506866	3/4" x 10"	Box of 25	100 pcs
FNB 34X12	506869	3/4" x 12"	Box of 25	100 pcs

BLACK STEEL NIPPLES - SCHEDULE 40

Nipples *continued*



- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1" · Rated maximum 226 psi at 400°F				
300 1XCL	500866	1" x Close	N/A	10 pcs
300 1X2	500855	1" x 2"	N/A	10 pcs
300 1X212	500856	1" x 2-1/2"	N/A	10 pcs
300 1X3	500857	1" x 3"	N/A	5 pcs
300 1X312	500858	1" x 3-1/2"	N/A	5 pcs
300 1X4	500859	1" x 4"	N/A	10 pcs
300 1X412	500860	1" x 4-1/2"	N/A	5 pcs
300 1X5	500861	1" x 5"	N/A	5 pcs
300 1X512	500862	1" x 5-1/2"	N/A	10 pcs
300 1X6	500863	1" x 6"	N/A	5 pcs
302 1X7	501075	1" x 7"	N/A	10 pcs
302 1X8	501076	1" x 8"	N/A	5 pcs
302 1X9	501077	1" x 9"	N/A	10 pcs
302 1X10	501072	1" x 10"	N/A	5 pcs
302 1X11	501073	1" x 11"	N/A	10 pcs
302 1X12	501074	1" x 12"	N/A	5 pcs
300 1XASST-25	500864	25 pcs 1" asstd	N/A	8 Boxes
300 1XASST-60	500865	60 pcs 1" asstd	N/A	2 Trays

BULK OPTIONS

1" · Rated maximum 226 psi at 400°F				
FNB 1XCL	506841	1" x Close	Box of 25	200 pcs
FNB 1X2	506829	1" x 2"	Box of 25	200 pcs
FNB 1X212	506830	1" x 2-1/2"	Box of 25	150 pcs
FNB 1X3	506831	1" x 3"	Box of 25	150 pcs
FNB 1X4	506833	1" x 4"	Box of 25	100 pcs
FNB 1X5	506835	1" x 5"	Box of 25	100 pcs
FNB 1X8	506839	1" x 8"	Box of 10	60 pcs
FNB 1X10	506826	1" x 10"	Box of 10	40 pcs
FNB 1X12	506828	1" x 12"	Box of 10	40 pcs

1 1/4" · Rated maximum 229 psi at 400°F				
300 114XCL	500841	1-1/4" x Close	N/A	5 pcs
300 114X2	500832	1-1/4" x 2"	N/A	5 pcs
300 114X212	500833	1-1/4" x 2-1/2"	N/A	5 pcs
300 114X3	500834	1-1/4" x 3"	N/A	5 pcs
300 114X312	500835	1-1/4" x 3-1/2"	N/A	5 pcs
300 114X4	500836	1-1/4" x 4"	N/A	5 pcs
300 114X412	500837	1-1/4" x 4-1/2"	N/A	5 pcs
300 114X5	500838	1-1/4" x 5"	N/A	5 pcs
300 114X512	500839	1-1/4" x 5-1/2"	N/A	5 pcs
300 114X6	500840	1-1/4" x 6"	N/A	5 pcs
302 114X7	501063	1-1/4" x 7"	N/A	5 pcs

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1 1/4" <i>continued</i> · Rated maximum 229 psi at 400°F				
302 114X8	501064	1-1/4" x 8"	N/A	5 pcs
302 114X9	501065	1-1/4" x 9"	N/A	5 pcs
302 114X10	501060	1-1/4" x 10"	N/A	5 pcs
302 114X11	501061	1-1/4" x 11"	N/A	5 pcs
302 114X12	501062	1-1/4" x 12"	N/A	4 pcs

1 1/2" · Rated maximum 231 psi at 400°F				
300 112XCL	500831	1-1/2" x Close	N/A	5 pcs
300 112X2	500822	1-1/2" x 2"	N/A	5 pcs
300 112X212	500823	1-1/2" x 2-1/2"	N/A	5 pcs
300 112X3	500824	1-1/2" x 3"	N/A	5 pcs
300 112X312	500825	1-1/2" x 3-1/2"	N/A	5 pcs
300 112X4	500826	1-1/2" x 4"	N/A	5 pcs
300 112X412	500827	1-1/2" x 4-1/2"	N/A	5 pcs
300 112X5	500828	1-1/2" x 5"	N/A	5 pcs
300 112X512	500829	1-1/2" x 5-1/2"	N/A	5 pcs
300 112X6	500830	1-1/2" x 6"	N/A	5 pcs
302 112X8	501059	1-1/2" x 8"	N/A	4 pcs
302 112X10	501057	1-1/2" x 10"	N/A	5 pcs
302 112X12	501058	1-1/2" x 12"	N/A	4 pcs

2" · Rated maximum 230 psi at 400°F				
300 2XCL	500875	2" x Close	N/A	5 pcs
300 2X212	500867	2" x 2-1/2"	N/A	5 pcs
300 2X3	500868	2" x 3"	N/A	5 pcs
300 2X312	500869	2" x 3-1/2"	N/A	5 pcs
300 2X4	500870	2" x 4"	N/A	4 pcs
300 2X412	500871	2" x 4-1/2"	N/A	5 pcs
300 2X5	500872	2" x 5"	N/A	3 pcs
300 2X512	500873	2" x 5-1/2"	N/A	5 pcs
300 2X6	500874	2" x 6"	N/A	3 pcs
302 2X7	501081	2" x 7"	N/A	5 pcs
302 2X8	501082	2" x 8"	N/A	3 pcs
302 2X9	501083	2" x 9"	N/A	5 pcs
302 2X10	501078	2" x 10"	N/A	3 pcs
302 2X11	501079	2" x 11"	N/A	3 pcs
302 2X12	501080	2" x 12"	N/A	3 pcs

2 1/2" · Rated maximum 230 psi at 400°F				
350 212XCL	502477	2-1/2" x Close	Box of 30	60 pcs
350 212X3	502472	2-1/2" x 3"	Box of 20	40 pcs
350 212X4	502473	2-1/2" x 4"	Box of 15	30 pcs
350 212X512	502474	2-1/2" x 5-1/2"	Box of 10	20 pcs
350 212X6	502475	2-1/2" x 6"	Box of 10	20 pcs
350 212X8	502476	2-1/2" x 8"	Box of 5	10 pcs
350 212X12	502471	2-1/2" x 12"	Box of 5	10 pcs

3" · Rated maximum 200 psi at 400°F				
350 3XCL	502485	3" x Close	Box of 20	40 pcs
350 3X3	502480	3" x 3"	Box of 15	30 pcs
350 3X4	502481	3" x 4"	Box of 10	20 pcs
350 3X5	502482	3" x 5"	Box of 5	10 pcs

BLACK STEEL NIPPLES / CUT PIPE - SCHEDULE 40

Nipples *continued*



- Hydrostatically tested
- Steel construction
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
3" continued · Rated maximum 200 psi at 400°F				
350 3X6	502483	3" x 6"	Box of 5	10 pcs
350 3X8	502484	3" x 8"	Box of 5	10 pcs
350 3X10	502478	3" x 10"	Box of 4	8 pcs
350 3X12	502479	3" x 12"	Box of 4	8 pcs
4" · Rated maximum 175 psi at 400°F				
350 4XCL	502491	4" x Close	Box of 10	20 pcs
350 4X4	502488	4" x 4"	Box of 5	10 pcs
350 4X6	502489	4" x 6"	Box of 3	6 pcs
350 4X8	502490	4" x 8"	Box of 3	6 pcs
350 4X10	502486	4" x 10"	Box of 2	4 pcs
350 4X12	502487	4" x 12"	Box of 2	4 pcs

Cut Pipe

STZ cut pipe is composed of durable, schedule 40 black steel and is hydrostatically tested and available in sizes to fit residential and light commercial gas and air applications. Our cut pipe has protective durable plastic end caps that help ensure the pipe threads remain undamaged in transport.

*Not for use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



- Hydrostatically tested
- Steel construction
- Made to ASTM A53 specifications

Plastic End-Caps

ITEM#	SKU#	NPS	BUNDLE	PALLET
3/8" · Rated maximum 203 psi at 400°F				
306 38X18	501201	3/8" x 18"	10 pcs	N/A
306 38X24	501202	3/8" x 24"	10 pcs	N/A
306 38X30	501203	3/8" x 30"	10 pcs	N/A
306 38X36	501204	3/8" x 36"	10 pcs	N/A
306 38X48	501205	3/8" x 48"	10 pcs	N/A
306 38X60	501206	3/8" x 60"	10 pcs	N/A
1/2" · Rated maximum 214 psi at 400°F				
306 12X14	501169	1/2" x 14"	5 pcs	N/A
306 12X15	501170	1/2" x 15"	5 pcs	1500 pcs
306 12X16	501171	1/2" x 16"	5 pcs	1500 pcs
306 12X18	501172	1/2" x 18"	5 pcs	1540 pcs
306 12X24	501173	1/2" x 24"	5 pcs	1210 pcs
306 12X30	501174	1/2" x 30"	5 pcs	935 pcs
306 12X36	501175	1/2" x 36"	5 pcs	825 pcs
306 12X48	501177	1/2" x 48"	5 pcs	605 pcs

ITEM#	SKU#	NPS	BUNDLE	PALLET
1/2" continued · Rated maximum 214 psi at 400°F				
306 12X60	501178	1/2" x 60"	5 pcs	605 pcs
306 12X72	501179	1/2" x 72"	5 pcs	385 pcs
306 12X96	501180	1/2" x 96"	5 pcs	385 pcs
3/4" · Rated maximum 217 psi at 400°F				
306 34X18	501194	3/4" x 18"	5 pcs	1170 pcs
306 34X24	501195	3/4" x 24"	5 pcs	900 pcs
306 34X30	501196	3/4" x 30"	5 pcs	720 pcs
306 34X36	501197	3/4" x 36"	5 pcs	585 pcs
306 34X48	501198	3/4" x 48"	5 pcs	450 pcs
306 34X60	501199	3/4" x 60"	5 pcs	360 pcs
306 34X72	501200	3/4" x 72"	5 pcs	315 pcs
1" · Rated maximum 226 psi at 400°F				
306 1X18	501181	1" x 18"	3 pcs	792 pcs
306 1X24	501182	1" x 24"	3 pcs	576 pcs
306 1X30	501183	1" x 30"	3 pcs	504 pcs
306 1X36	501184	1" x 36"	3 pcs	396 pcs
306 1X48	501185	1" x 48"	3 pcs	288 pcs
306 1X60	501186	1" x 60"	3 pcs	216 pcs
306 1X72	501187	1" x 72"	3 pcs	180 pcs
1 1/4" · Rated maximum 229 psi at 400°F				
306 114X18	501162	1-1/4" x 18"	3 pcs	600 pcs
306 114X24	501163	1-1/4" x 24"	3 pcs	480 pcs
306 114X36	501165	1-1/4" x 36"	3 pcs	300 pcs
306 114X48	501166	1-1/4" x 48"	3 pcs	240 pcs
306 114X60	501167	1-1/4" x 60"	3 pcs	150 pcs
1 1/2" · Rated maximum 231 psi at 400°F				
306 112X18	501155	1-1/2" x 18"	3 pcs	480 pcs
306 112X24	501156	1-1/2" x 24"	3 pcs	384 pcs
306 112X30	501157	1-1/2" x 30"	3 pcs	288 pcs
306 112X36	501158	1-1/2" x 36"	3 pcs	240 pcs
306 112X48	501159	1-1/2" x 48"	3 pcs	192 pcs
306 112X60	501160	1-1/2" x 60"	3 pcs	144 pcs
306 112X72	501161	1-1/2" x 72"	3 pcs	144 pcs
2" · Rated maximum 230 psi at 400°F				
306 2X18	501188	2" x 18"	2 pcs	352 pcs
306 2X24	501189	2" x 24"	2 pcs	264 pcs
306 2X30	501190	2" x 30"	2 pcs	198 pcs
306 2X36	501191	2" x 36"	2 pcs	198 pcs
306 2X48	501192	2" x 48"	2 pcs	154 pcs
306 2X60	501193	2" x 60"	2 pcs	110 pcs

BLACK STEEL PIPE / MERCHANT COUPLINGS - SCHEDULE 40

10' Pipe

STZ 10' pipe is composed of durable schedule 40 black steel and is hydrostatically tested and available in sizes to fit residential and light commercial gas and air applications. Our 10' pipe has protective durable plastic end caps that help ensure the pipe threads remain undamaged in transport.

*Not for use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



Plastic End-Caps

- Hydrostatically tested
- Steel construction
- Made to ASTM A53 specifications
- Temp range 400°F to -29°F

ITEM#	SKU#	NPS	BUNDLE	LIFT
314 12X120	502109	1/2" x 120"	5 pcs	110 pcs
314 34X120	502115	3/4" x 120"	5 pcs	90 pcs
314 1X120	502111	1" x 120"	3 pcs	60 pcs
314 114X120	502107	1-1/4" x 120"	3 pcs	45 pcs
314 112X120	502105	1-1/2" x 120"	3 pcs	36 pcs
314 2X120	502113	2" x 120"	1 pcs	26 pcs

STZ's Pipe can be displayed in its own custom POP displays. We have various sizes available.



Part Number:
POP306R121
Description:
For 1/2" - 1"
Pipe

Part Number:
POP306R122
Description:
For 1/2" - 2"
Pipe

Merchant Couplings

STZ merchant couplings are composed of durable black steel and are 100% pressure tested and protected right in the factory. They are available in an array of sizes for residential gas, air, and low pressure applications.

*Not for use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
316 MCO-18	502135	1/8"	Box of 10	360 pcs
316 MCO-14	502134	1/4"	Box of 10	360 pcs
316 MCO-38	502140	3/8"	Box of 10	360 pcs
316 MCO-12	502133	1/2"	Box of 25	300 pcs
316 MCO-34	502139	3/4"	Box of 25	200 pcs
316 MCO-1	502130	1"	Box of 10	160 pcs
316 MCO-114	502132	1-1/4"	Box of 5	40 pcs
316 MCO-112	502131	1-1/2"	Box of 5	40 pcs
316 MCO-2	502136	2"	Box of 5	30 pcs
316 MCO-212	502137	2-1/2"	N/A	30 pcs
316 MCO-3	502138	3"	N/A	16 pcs
316 MCO-4	502141	4"	N/A	8 pcs

GALVANIZED MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

STZ pipe and fittings are ideal when selecting water pipe for your residence. Our durable, galvanized malleable iron fittings are 100% pressure tested directly in the factory. They are available in sizes for all residential water applications.


*For use with residential drinking water applications
 *Always check your local plumbing and gas codes before starting any piping projects

Galvanized pipe and fittings can be used to add a branch line for an appliance like a washing machine.



SAFETY TIP:
 Always use thread seal tape or joint compound on all male threads to seal threads. It prevents rust and makes assembly easier.


90° Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 E90-18	501810	1/8"	Box of 10	720 pcs
311 E90-14	501809	1/4"	N/A	10 pcs
311 E90-38	501812	3/8"	N/A	10 pcs
313 E90-12	502083	1/2"	N/A	25 pcs
313 E90-34	502084	3/4"	N/A	25 pcs
311 E90-1	501806	1"	N/A	10 pcs
311 E90-114	501808	1-1/4"	N/A	5 pcs
311 E90-112	501807	1-1/2"	N/A	5 pcs
311 E90-2	501811	2"	N/A	4 pcs
351 E90-212	502575	2-1/2"	N/A	16 pcs
351 E90-3	502576	3"	N/A	8 pcs


90° Reducing Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 RE-1418	501873	1/4" x 1/8"	Box of 10	720 pcs
311 RE-3814	501876	3/8" x 1/4"	Box of 10	360 pcs
311 RE-1214	501870	1/2" x 1/4"	N/A	25 pcs
311 RE-1238	501871	1/2" x 3/8"	N/A	5 pcs
311 RE-3412	501875	3/4" x 1/2"	N/A	5 pcs
311 RE-112	501865	1" x 1/2"	N/A	10 pcs
311 RE-134	501872	1" x 3/4"	N/A	5 pcs

90° Reducing Elbows *continued*



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 RE-1121	501866	1-1/2" x 1"	N/A	5 pcs
311 RE-112114	501867	1-1/2" x 1-1/4"	N/A	5 pcs
311 RE-2112	501874	2" x 1-1/2"	N/A	5 pcs

BULK OPTIONS

FMG RE-3412	506677	3/4" x 1/2"	Box of 40	160 pcs
-------------	--------	-------------	-----------	---------

90° Street Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 SE90-18	501909	1/8"	Box of 10	720 pcs
311 SE90-14	501908	1/4"	N/A	10 pcs
311 SE90-38	501912	3/8"	N/A	10 pcs
311 SE90-12	501907	1/2"	N/A	10 pcs
311 SE90-34	501911	3/4"	N/A	10 pcs
311 SE90-1	501904	1"	N/A	5 pcs
311 SE90-114	501906	1-1/4"	N/A	5 pcs
311 SE90-112	501905	1-1/2"	N/A	5 pcs
311 SE90-2	501910	2"	N/A	4 pcs
351 SE90-3	502589	3"	N/A	8 pcs

BULK OPTIONS

FMG SE90-38	506720	3/8"	Box of 60	240 pcs
-------------	--------	------	-----------	---------

45° Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 E45-18	501802	1/8"	Box of 10	720 pcs
311 E45-14	501801	1/4"	Box of 10	720 pcs
311 E45-38	501805	3/8"	Box of 10	360 pcs

GALVANIZED MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

45° Elbows *continued*



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 E45-12	501800	1/2"	N/A	5 pcs
311 E45-34	501804	3/4"	N/A	5 pcs
311 E45-1	501797	1"	N/A	5 pcs
311 E45-114	501799	1-1/4"	N/A	5 pcs
311 E45-112	501798	1-1/2"	N/A	5 pcs
311 E45-2	501803	2"	N/A	4 pcs

45° Street Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 SE45-18	501900	1/8"	Box of 10	720 pcs
311 SE45-14	501899	1/4"	Box of 10	720 pcs
311 SE45-38	501903	3/8"	Box of 10	360 pcs
311 SE45-12	501898	1/2"	N/A	5 pcs
311 SE45-34	501902	3/4"	N/A	5 pcs
311 SE45-1	501895	1"	N/A	10 pcs
311 SE45-114	501897	1-1/4"	N/A	5 pcs
311 SE45-112	501896	1-1/2"	N/A	5 pcs
311 SE45-2	501901	2"	N/A	5 pcs

Side Outlet Elbows



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 SOE-12	501913	1/2"	N/A	10 pcs
311 SOE-34	501914	3/4"	N/A	10 pcs

Couplings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 CO-18	501786	1/8"	Box of 10	720 pcs
311 CO-14	501785	1/4"	N/A	10 pcs
311 CO-38	501788	3/8"	N/A	5 pcs
313 CO-12	502081	1/2"	N/A	25 pcs
313 CO-34	502082	3/4"	N/A	20 pcs
311 CO-1	501782	1"	N/A	5 pcs
311 CO-114	501784	1-1/4"	N/A	5 pcs
311 CO-112	501783	1-1/2"	N/A	5 pcs
311 CO-2	501787	2"	N/A	4 pcs
351 CO-212	511696	2-1/2"	N/A	24 pcs

Reducing Couplings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 RC-1418	501854	1/4" x 1/8"	Box of 10	720 pcs
311 RC-3818	501864	3/8" x 1/8"	Box of 10	720 pcs
311 RC-3814	501863	3/8" x 1/4"	Box of 10	360 pcs
311 RC-1218	501850	1/2" x 1/8"	N/A	25 pcs
311 RC-1214	501849	1/2" x 1/4"	N/A	10 pcs
311 RC-1238	501851	1/2" x 3/8"	N/A	5 pcs
311 RC-3414	501861	3/4" x 1/4"	N/A	25 pcs
311 RC-3438	501862	3/4" x 3/8"	N/A	25 pcs
311 RC-3412	501860	3/4" x 1/2"	N/A	15 pcs
311 RC-138	501853	1" x 3/8"	N/A	10 pcs
311 RC-112	501841	1" x 1/2"	N/A	5 pcs
311 RC-134	501852	1" x 3/4"	N/A	5 pcs
311 RC-11412	501847	1-1/4" x 1/2"	N/A	5 pcs
311 RC-11434	501848	1-1/4" x 3/4"	N/A	5 pcs
311 RC-1141	501846	1-1/4" x 1"	N/A	5 pcs
311 RC-11212	501844	1-1/2" x 1/2"	N/A	5 pcs
311 RC-11234	501845	1-1/2" x 3/4"	N/A	4 pcs
311 RC-1121	501842	1-1/2" x 1"	N/A	4 pcs
311 RC-112114	501843	1-1/2" x 1-1/4"	N/A	3 pcs
311 RC-212	501858	2" x 1/2"	N/A	5 pcs
311 RC-234	501859	2" x 3/4"	N/A	5 pcs
311 RC-21	501855	2" x 1"	N/A	5 pcs

GALVANIZED MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

Reducing Couplings *continued*



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 RC-2114	501857	2" x 1-1/4"	N/A	5 pcs
311 RC-2112	501856	2" x 1-1/2"	N/A	5 pcs
351 RC-2122	502582	2-1/2" x 2"	N/A	24 pcs
351 RC-32	502583	3" x 2"	N/A	16 pcs
351 RC-3212	502584	3" x 2-1/2"	N/A	16 pcs
351 RC-42	502585	4" x 2"	N/A	8 pcs

Bushings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 B-1418	501755	1/4" x 1/8"	Box of 10	360 pcs
311 B-3818	501766	3/8" x 1/8"	Box of 10	720 pcs
311 B-3814	501765	3/8" x 1/4"	N/A	5 pcs
311 B-1218	501751	1/2" x 1/8"	Box of 25	900 pcs
311 B-1214	501750	1/2" x 1/4"	N/A	10 pcs
311 B-1238	501752	1/2" x 3/8"	N/A	5 pcs
311 B-3418	501763	3/4" x 1/8"	N/A	25 pcs
311 B-3414	501762	3/4" x 1/4"	N/A	5 pcs
311 B-3438	501764	3/4" x 3/8"	N/A	25 pcs
311 B-3412	501761	3/4" x 1/2"	N/A	10 pcs
311 B-114	501745	1" x 1/4"	Box of 10	360 pcs
311 B-138	501754	1" x 3/8"	Box of 10	360 pcs
311 B-112	501740	1" x 1/2"	N/A	5 pcs
311 B-134	501753	1" x 3/4"	N/A	10 pcs
311 B-11414	501748	1-1/4" x 1/4"	Box of 5	180 pcs
311 B-11412	501747	1-1/4" x 1/2"	Box of 5	180 pcs
311 B-11434	501749	1-1/4" x 3/4"	N/A	5 pcs
311 B-1141	501746	1-1/4" x 1"	N/A	5 pcs
311 B-11212	501743	1-1/2" x 1/2"	N/A	5 pcs
311 B-11234	501744	1-1/2" x 3/4"	N/A	5 pcs
311 B-1121	501741	1-1/2" x 1"	N/A	5 pcs
311 B-112114	501742	1-1/2" x 1-1/4"	N/A	5 pcs
311 B-212	501759	2" x 1/2"	N/A	5 pcs
311 B-234	501760	2" x 3/4"	N/A	5 pcs
311 B-21	501756	2" x 1"	N/A	5 pcs
311 B-2114	501758	2" x 1-1/4"	N/A	5 pcs

Bushings *continued*



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 B-2112	501757	2" x 1-1/2"	N/A	5 pcs
351 B-212112	502558	2-1/2" x 1-1/2"	Box of 8	64 pcs
351 B-2122	502559	2-1/2" x 2"	Box of 8	64 pcs
351 B-32	502562	3" x 2"	Box of 6	48 pcs
351 B-3212	502563	3" x 2-1/2"	Box of 6	48 pcs
351 B-42	502564	4" x 2"	Box of 6	36 pcs
351 B-43	502566	4" x 3"	Box of 6	36 pcs

Tees



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 T-18	501921	1/8"	Box of 10	720 pcs
311 T-14	501920	1/4"	N/A	10 pcs
311 T-38	501923	3/8"	N/A	10 pcs
313 T-12	502085	1/2"	N/A	15 pcs
313 T-34	502086	3/4"	N/A	15 pcs
311 T-1	501917	1"	N/A	10 pcs
311 T-114	501919	1-1/4"	N/A	5 pcs
311 T-112	501918	1-1/2"	N/A	3 pcs
311 T-2	501922	2"	N/A	4 pcs
351 T-212	502591	2-1/2"	N/A	12 pcs
351 T-3	502592	3"	N/A	8 pcs

BULK OPTIONS

FMG T-112	506727	1-1/2"	Box of 12	24 pcs
-----------	--------	--------	-----------	--------

Reducing Tees



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 RT-121238	501885	1/2" x 1/2" x 3/8"	N/A	25 pcs
311 RT-121234	501884	1/2" x 1/2" x 3/4"	N/A	5 pcs
311 RT-341212	501892	3/4" x 1/2" x 1/2"	N/A	5 pcs

GALVANIZED MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

Reducing Tees *continued*



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 RT-341234	501893	3/4" x 1/2" x 3/4"	N/A	5 pcs
311 RT-343412	501894	3/4" x 3/4" x 1/2"	N/A	5 pcs
311 RT-13434	501887	1" x 3/4" x 3/4"	N/A	10 pcs
311 RT-1341	501886	1" x 3/4" x 1"	N/A	10 pcs
311 RT-1112	501877	1" x 1" x 1/2"	N/A	10 pcs
311 RT-1134	501881	1" x 1" x 3/4"	N/A	10 pcs
311 RT-11411434	501883	1-1/4" x 1-1/4" x 3/4"	N/A	5 pcs
311 RT-1141141	501882	1-1/4" x 1-1/4" x 1"	N/A	5 pcs
311 RT-22114	501890	2" x 2" x 1-1/4"	N/A	4 pcs
311 RT-22112	501889	2" x 2" x 1-1/2"	N/A	4 pcs

Side Outlet Tees



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 SOT-12	501916	1/2"	N/A	25 pcs

Unions



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 U-18	501929	1/8"	Box of 10	360 pcs
311 U-14	501928	1/4"	Box of 10	360 pcs
311 U-38	501932	3/8"	N/A	10 pcs
311 U-12	501927	1/2"	N/A	10 pcs
311 U-34	501931	3/4"	N/A	10 pcs
311 U-1	501924	1"	N/A	5 pcs
311 U-114	501926	1-1/4"	N/A	5 pcs
311 U-112	501925	1-1/2"	N/A	5 pcs
311 U-2	501930	2"	N/A	3 pcs
351 U-212	502594	2-1/2"	N/A	12 pcs
351 U-3	502595	3"	N/A	8 pcs
351 U-4	502596	4"	N/A	4 pcs

BULK OPTIONS

FMG U-12	506741	1/2"	Box of 50	100 pcs
----------	--------	------	-----------	---------

Caps



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 CA-18	501772	1/8"	Box of 10	720 pcs
311 CA-14	501771	1/4"	N/A	10 pcs
311 CA-38	501775	3/8"	N/A	5 pcs
311 CA-12	501770	1/2"	N/A	25 pcs
311 CA-34	501774	3/4"	N/A	15 pcs
311 CA-1	501767	1"	N/A	5 pcs
311 CA-114	501769	1-1/4"	N/A	5 pcs
311 CA-112	501768	1-1/2"	N/A	5 pcs
311 CA-2	501773	2"	N/A	5 pcs
351 CA-212	502567	2-1/2"	Box of 6	48 pcs
351 CA-3	502568	3"	Box of 6	36 pcs
351 CA-4	502569	4"	N/A	16 pcs

BULK OPTIONS

FMG CA-34	506341	3/4"	Box of 40	160 pcs
-----------	--------	------	-----------	---------

Plugs



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 P-18	501837	1/8"	Box of 10	720 pcs
311 P-14	501836	1/4"	N/A	10 pcs
311 P-38	501840	3/8"	N/A	5 pcs
311 P-12	501835	1/2"	N/A	20 pcs
311 P-34	501839	3/4"	N/A	10 pcs
311 P-1	501832	1"	N/A	5 pcs
311 P-114	501834	1-1/4"	N/A	5 pcs
311 P-112	501833	1-1/2"	N/A	5 pcs
311 P-2	501838	2"	N/A	5 pcs
351 P-212	502578	2-1/2"	Box of 12	96 pcs
351 P-3	502579	3"	Box of 9	72 pcs
351 P-4	502580	4"	Box of 6	36 pcs

GALVANIZED MALLEABLE IRON FITTINGS - CLASS 150 (STANDARD)

Compression Couplings



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 CCL-12	501779	1/2"	N/A	5 pcs
311 CCL-34	501781	3/4"	N/A	5 pcs
311 CCL-1	501776	1"	N/A	6 pcs
311 CCL-114	501778	1-1/4"	N/A	6 pcs
311 CCL-112	501777	1-1/2"	N/A	6 pcs
311 CCL-2	501780	2"	N/A	4 pcs

Crosses



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- UL & FM listed
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 CR-14	501793	1/4"	N/A	10 pcs
311 CR-38	501796	3/8"	N/A	10 pcs
311 CR-12	501792	1/2"	N/A	5 pcs
311 CR-34	501795	3/4"	N/A	5 pcs
311 CR-1	501789	1"	N/A	10 pcs
311 CR-114	501791	1-1/4"	N/A	5 pcs
311 CR-112	501790	1-1/2"	N/A	5 pcs
311 CR-2	501794	2"	N/A	4 pcs

Round Flanges



- Galvanizing done by hot dip process, according to ASTM A153
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 F-14	501819	1/4"	N/A	10 pcs
311 F-38	501822	3/8"	N/A	10 pcs
311 F-12	501818	1/2"	N/A	20 pcs
311 F-34	501821	3/4"	N/A	20 pcs
311 F-1	501815	1"	N/A	10 pcs
311 F-114	501817	1-1/4"	N/A	5 pcs
311 F-112	501816	1-1/2"	N/A	5 pcs
311 F-2	501820	2"	N/A	4 pcs

BULK OPTIONS

FMG F-34	506612	3/4"	Box of 15	45 pcs
FMG F-114	506608	1-1/4"	Box of 10	30 pcs
FMG F-2	506611	2"	Box of 8	16 pcs

Lock Nuts



- 100% pressure tested
- Rated at max. 300 psi at 150°F or 150 psi at 300°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made in compliance to ASME standards

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
311 LN-18	501828	1/8"	Box of 10	360 pcs
311 LN-14	501827	1/4"	Box of 10	360 pcs
311 LN-38	501831	3/8"	Box of 10	360 pcs
311 LN-12	501826	1/2"	N/A	25 pcs
311 LN-1	501823	1"	N/A	10 pcs
311 LN-114	501825	1-1/4"	N/A	5 pcs
311 LN-112	501824	1-1/2"	N/A	5 pcs
311 LN-2	501829	2"	N/A	5 pcs

GALVANIZED STEEL NIPPLES - SCHEDULE 40

STZ nipples are the way to go when selecting water pipe for your residence. Our durable, schedule 40 galvanized steel is hydrostatically tested and available in sizes to fit residential and light commercial water applications.

*For use with drinking water

*Always check your local plumbing and gas codes before starting any piping projects


Nipples



GALVANIZED NIPPLES Ø Sizing Chart

To scale

Size	O.D.
4"	4.50"
3"	3.50"
2 ½"	2.875"
2"	2.375"
1½"	1.90"
1¼"	1.66"
1"	1.315"
¾"	1.05"
½"	.84"
⅜"	.675"
¼"	.54"
⅛"	.405"



Nipples



- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1/8"				
309 18XCL	501354	1/8" x Close	Box of 10	360 pcs
309 18X112	501342	1/8" x 1-1/2"	Box of 10	360 pcs
309 18X2	501344	1/8" x 2"	Box of 10	360 pcs
309 18X212	501345	1/8" x 2-1/2"	Box of 10	360 pcs
309 18X3	501346	1/8" x 3"	Box of 10	360 pcs
309 18X312	501347	1/8" x 3-1/2"	Box of 10	360 pcs
309 18X4	501348	1/8" x 4"	N/A	10 pcs
309 18X412	501349	1/8" x 4-1/2"	N/A	10 pcs
309 18X5	501350	1/8" x 5"	N/A	10 pcs

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1/8" continued				
309 18X512	501351	1/8" x 5-1/2"	N/A	10 pcs
309 18X6	501352	1/8" x 6"	N/A	10 pcs
309 18X8	501353	1/8" x 8"	N/A	10 pcs
309 18X10	501341	1/8" x 10"	N/A	10 pcs
309 18X12	501343	1/8" x 12"	N/A	10 pcs
1/4" - Rated maximum 188 psi at 400°F				
309 14XCL	501340	1/4" x Close	N/A	10 pcs
309 14X112	501328	1/4" x 1-1/2"	Box of 10	360 pcs
309 14X2	501330	1/4" x 2"	N/A	10 pcs
309 14X212	501331	1/4" x 2-1/2"	Box of 10	360 pcs
309 14X3	501332	1/4" x 3"	N/A	10 pcs
309 14X312	501333	1/4" x 3-1/2"	Box of 10	360 pcs
309 14X4	501334	1/4" x 4"	N/A	10 pcs
309 14X412	501335	1/4" x 4-1/2"	N/A	10 pcs

GALVANIZED STEEL NIPPLES / CUT PIPE - SCHEDULE 40

Nipples



- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1/4" <i>continued</i> · Rated maximum 188 psi at 400°F				
309 14X5	501336	1/4" x 5"	N/A	10 pcs
309 14X512	501337	1/4" x 5-1/2"	N/A	10 pcs
309 14X6	501338	1/4" x 6"	N/A	10 pcs
309 14X8	501339	1/4" x 8"	N/A	10 pcs
309 14X10	501326	1/4" x 10"	N/A	10 pcs
309 14X11	501327	1/4" x 11"	N/A	10 pcs
309 14X12	501329	1/4" x 12"	N/A	10 pcs
3/8" · Rated maximum 203 psi at 400°F				
309 38XCL	501369	3/8" x Close	N/A	10 pcs
309 38X112	501356	3/8" x 1-1/2"	Box of 10	360 pcs
309 38X2	501358	3/8" x 2"	N/A	10 pcs
309 38X212	501359	3/8" x 2-1/2"	Box of 10	360 pcs
309 38X3	501360	3/8" x 3"	N/A	10 pcs
309 38X312	501361	3/8" x 3-1/2"	Box of 10	360 pcs
309 38X4	501362	3/8" x 4"	N/A	5 pcs
309 38X412	501363	3/8" x 4-1/2"	N/A	10 pcs
309 38X5	501364	3/8" x 5"	N/A	5 pcs
309 38X512	501365	3/8" x 5-1/2"	N/A	10 pcs
309 38X6	501366	3/8" x 6"	N/A	5 pcs
309 38X7	501367	3/8" x 7"	N/A	10 pcs
309 38X8	501368	3/8" x 8"	N/A	10 pcs
309 38X10	501355	3/8" x 10"	N/A	10 pcs
309 38X12	501357	3/8" x 12"	N/A	10 pcs
1/2" · Rated maximum 214 psi at 400°F				
301 12XCL	500963	1/2" x Close	N/A	20 pcs
301 12X112	500951	1/2" x 1-1/2"	N/A	20 pcs
301 12X2	500952	1/2" x 2"	N/A	15 pcs
301 12X212	500953	1/2" x 2-1/2"	N/A	15 pcs
301 12X3	500954	1/2" x 3"	N/A	20 pcs
301 12X312	500955	1/2" x 3-1/2"	N/A	10 pcs
301 12X4	500956	1/2" x 4"	N/A	15 pcs
301 12X412	500957	1/2" x 4-1/2"	N/A	15 pcs
301 12X5	500958	1/2" x 5"	N/A	15 pcs
301 12X512	500959	1/2" x 5-1/2"	N/A	25 pcs
301 12X6	500960	1/2" x 6"	N/A	20 pcs
303 12X7	501117	1/2" x 7"	N/A	25 pcs
303 12X8	501118	1/2" x 8"	N/A	15 pcs
303 12X9	501119	1/2" x 9"	N/A	25 pcs
303 12X10	501114	1/2" x 10"	N/A	15 pcs
303 12X11	501115	1/2" x 11"	N/A	25 pcs
303 12X12	501116	1/2" x 12"	N/A	15 pcs
301 12XASST-25	500962	25 pcs 1/2" asstd	N/A	16 Boxes

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
3/4" · Rated maximum 217 psi at 400°F				
301 34XCL	500995	3/4" x Close	N/A	15 pcs
301 34X112	500984	3/4" x 1-1/2"	N/A	15 pcs
301 34X2	500985	3/4" x 2"	N/A	10 pcs
301 34X212	500986	3/4" x 2-1/2"	N/A	15 pcs
301 34X3	500987	3/4" x 3"	N/A	15 pcs
301 34X312	500988	3/4" x 3-1/2"	N/A	15 pcs
301 34X4	500989	3/4" x 4"	N/A	10 pcs
301 34X412	500990	3/4" x 4-1/2"	N/A	10 pcs
301 34X5	500991	3/4" x 5"	N/A	5 pcs
301 34X512	500992	3/4" x 5-1/2"	N/A	25 pcs
301 34X6	500993	3/4" x 6"	N/A	10 pcs
303 34X7	501135	3/4" x 7"	N/A	25 pcs
303 34X8	501136	3/4" x 8"	N/A	10 pcs
303 34X9	501137	3/4" x 9"	N/A	25 pcs
303 34X10	501132	3/4" x 10"	N/A	10 pcs
303 34X11	501133	3/4" x 11"	N/A	25 pcs
303 34X12	501134	3/4" x 12"	N/A	10 pcs
301 34XASST-25	500994	25 pcs 3/4" asstd	N/A	12 Boxes
1" · Rated maximum 226 psi at 400°F				
301 1XCL	500974	1" x Close	N/A	5 pcs
301 1X2	500964	1" x 2"	N/A	10 pcs
301 1X212	500965	1" x 2-1/2"	N/A	10 pcs
301 1X3	500966	1" x 3"	N/A	5 pcs
301 1X312	500967	1" x 3-1/2"	N/A	10 pcs
301 1X4	500968	1" x 4"	N/A	10 pcs
301 1X412	500969	1" x 4-1/2"	N/A	10 pcs
301 1X5	500970	1" x 5"	N/A	5 pcs
301 1X512	500971	1" x 5-1/2"	N/A	10 pcs
301 1X6	500972	1" x 6"	N/A	5 pcs
303 1X7	501123	1" x 7"	N/A	10 pcs
303 1X8	501124	1" x 8"	N/A	5 pcs
303 1X9	501125	1" x 9"	N/A	10 pcs
303 1X10	501120	1" x 10"	N/A	5 pcs
303 1X11	501121	1" x 11"	N/A	10 pcs
303 1X12	501122	1" x 12"	N/A	5 pcs
1 1/4" · Rated maximum 229 psi at 400°F				
301 114XCL	500950	1-1/4" x Close	N/A	5 pcs
301 114X2	500941	1-1/4" x 2"	N/A	5 pcs
301 114X212	500942	1-1/4" x 2-1/2"	N/A	5 pcs
301 114X3	500943	1-1/4" x 3"	N/A	5 pcs
301 114X312	500944	1-1/4" x 3-1/2"	N/A	5 pcs
301 114X4	500945	1-1/4" x 4"	N/A	5 pcs
301 114X412	500946	1-1/4" x 4-1/2"	N/A	5 pcs
301 114X5	500947	1-1/4" x 5"	N/A	5 pcs
301 114X512	500948	1-1/4" x 5-1/2"	N/A	5 pcs
301 114X6	500949	1-1/4" x 6"	N/A	5 pcs
303 114X7	501111	1-1/4" x 7"	N/A	5 pcs
303 114X8	501112	1-1/4" x 8"	N/A	5 pcs

GALVANIZED STEEL NIPPLES / CUT PIPE - SCHEDULE 40

Nipples *continued*



- Hydrostatically tested
- Steel construction
- Galvanized done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A733 specifications

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
1 1/4" continued · Rated maximum 229 psi at 400°F				
303 114X9	501113	1-1/4" x 9"	N/A	5 pcs
303 114X10	501108	1-1/4" x 10"	N/A	5 pcs
303 114X12	501110	1-1/4" x 12"	N/A	5 pcs
1 1/2" · Rated maximum 231 psi at 400°F				
301 112XCL	500940	1-1/2" x Close	N/A	5 pcs
301 112X2	500931	1-1/2" x 2"	N/A	5 pcs
301 112X212	500932	1-1/2" x 2-1/2"	N/A	5 pcs
301 112X3	500933	1-1/2" x 3"	N/A	5 pcs
301 112X312	500934	1-1/2" x 3-1/2"	N/A	5 pcs
301 112X4	500935	1-1/2" x 4"	N/A	5 pcs
301 112X412	500936	1-1/2" x 4-1/2"	N/A	5 pcs
301 112X5	500937	1-1/2" x 5"	N/A	5 pcs
301 112X512	500938	1-1/2" x 5-1/2"	N/A	5 pcs
301 112X6	500939	1-1/2" x 6"	N/A	5 pcs
303 112X7	501105	1-1/2" x 7"	N/A	5 pcs
303 112X8	501106	1-1/2" x 8"	N/A	5 pcs
303 112X9	501107	1-1/2" x 9"	N/A	5 pcs
303 112X10	501102	1-1/2" x 10"	N/A	5 pcs
303 112X12	501104	1-1/2" x 12"	N/A	5 pcs
2" · Rated maximum 230 psi at 400°F				
301 2XCL	500983	2" x Close	N/A	5 pcs
301 2X212	500975	2" x 2-1/2"	N/A	5 pcs
301 2X3	500976	2" x 3"	N/A	5 pcs
301 2X312	500977	2" x 3-1/2"	N/A	5 pcs
301 2X4	500978	2" x 4"	N/A	5 pcs
301 2X412	500979	2" x 4-1/2"	N/A	5 pcs
301 2X5	500980	2" x 5"	N/A	3 pcs
301 2X512	500981	2" x 5-1/2"	N/A	5 pcs
301 2X6	500982	2" x 6"	N/A	3 pcs
303 2X7	501129	2" x 7"	N/A	5 pcs
303 2X8	501130	2" x 8"	N/A	2 pcs
303 2X9	501131	2" x 9"	N/A	5 pcs
303 2X10	501126	2" x 10"	N/A	3 pcs
303 2X11	501127	2" x 11"	N/A	3 pcs
303 2X12	501128	2" x 12"	N/A	3 pcs
2 1/2" · Rated maximum 230 psi at 400°F				
351 212XCL	502540	2-1/2" x Close	Box of 30	60 pcs
351 212X3	502535	2-1/2" x 3"	Box of 20	40 pcs
351 212X4	502536	2-1/2" x 4"	Box of 15	30 pcs
351 212X5	502537	2-1/2" x 5"	Box of 10	20 pcs
351 212X6	502538	2-1/2" x 6"	Box of 10	20 pcs

ITEM#	SKU#	NPS	INNER QTY	CASE QTY
2 1/2" continued · Rated maximum 230 psi at 400°F				
351 212X8	502539	2-1/2" x 8"	Box of 5	10 pcs
351 212X10	502533	2-1/2" x 10"	Box of 5	10 pcs
351 212X12	502534	2-1/2" x 12"	Box of 5	10 pcs
3" · Rated maximum 200 psi at 400°F				
351 3XCL	502550	3" x Close	Box of 20	40 pcs
351 3X3	502543	3" x 3"	Box of 15	30 pcs
351 3X312	502544	3" x 3-1/2"	Box of 10	20 pcs
351 3X4	502545	3" x 4"	Box of 10	20 pcs
351 3X5	502547	3" x 5"	Box of 5	10 pcs
351 3X6	502548	3" x 6"	Box of 5	10 pcs
351 3X8	502549	3" x 8"	Box of 5	10 pcs
351 3X10	502541	3" x 10"	Box of 5	10 pcs
351 3X12	502542	3" x 12"	Box of 4	8 pcs
4" · Rated maximum 175 psi at 400°F				
351 4XCL	502557	4" x Close	Box of 10	20 pcs
351 4X4	502553	4" x 4"	Box of 5	10 pcs
351 4X5	502554	4" x 5"	Box of 5	10 pcs
351 4X6	502555	4" x 6"	Box of 3	6 pcs
351 4X8	502556	4" x 8"	Box of 3	6 pcs
351 4X10	502551	4" x 10"	Box of 2	4 pcs
351 4X12	502552	4" x 12"	Box of 2	4 pcs

Cut Pipe

STZ™ cut pipe is the way to go when selecting water pipe for your residence. Our durable, schedule 40 galvanized steel is hydrostatically tested and available in sizes to fit residential and light commercial water applications. Our cut pipe has protective durable plastic end caps that help ensure the pipe threads remain undamaged in transport.

*For use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



Plastic End-Caps

- Hydrostatically tested
- Steel construction
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A53 specification

ITEM#	SKU#	NPS	BUNDLE	PALLET
1/2" · Rated maximum 214 psi at 400°F				
307 12X18	501234	1/2" x 18"	5 pcs	1540 pcs
307 12X24	501235	1/2" x 24"	5 pcs	1210 pcs
307 12X30	501236	1/2" x 30"	5 pcs	935 pcs
307 12X36	501237	1/2" x 36"	5 pcs	825 pcs
307 12X48	501239	1/2" x 48"	5 pcs	605 pcs
307 12X60	501240	1/2" x 60"	5 pcs	605 pcs
307 12X72	501241	1/2" x 72"	5 pcs	385 pcs

GALVANIZED CUT PIPE / 10' PIPE / MERCHANT COUPLINGS - SCHEDULE 40

Cut Pipe *continued*



Plastic End-Caps



- Hydrostatically tested
- Steel construction
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ASTM A53 specification

ITEM#	SKU#	NPS	BUNDLE	PALLET
3/4" · Rated maximum 217 psi at 400°F				
307 34X18	501255	3/4" x 18"	5 pcs	1170 pcs
307 34X24	501256	3/4" x 24"	5 pcs	900 pcs
307 34X30	501257	3/4" x 30"	5 pcs	720 pcs
307 34X36	501258	3/4" x 36"	5 pcs	585 pcs
307 34X48	501259	3/4" x 48"	5 pcs	450 pcs
307 34X60	501260	3/4" x 60"	5 pcs	360 pcs
307 34X72	501261	3/4" x 72"	5 pcs	315 pcs

ITEM#	SKU#	NPS	BUNDLE	PALLET
1" · Rated maximum 226 psi at 400°F				
307 1X18	501242	1" x 18"	3 pcs	792 pcs
307 1X24	501243	1" x 24"	3 pcs	576 pcs
307 1X30	501244	1" x 30"	3 pcs	504 pcs
307 1X36	501245	1" x 36"	3 pcs	396 pcs
307 1X48	501246	1" x 48"	3 pcs	288 pcs
307 1X60	501247	1" x 60"	3 pcs	216 pcs
307 1X72	501248	1" x 72"	3 pcs	180 pcs

ITEM#	SKU#	NPS	BUNDLE	PALLET
1 1/4" · Rated maximum 229 psi at 400°F				
307 114X18	501227	1-1/4" x 18"	3 pcs	600 pcs
307 114X24	501228	1-1/4" x 24"	3 pcs	480 pcs
307 114X30	501229	1-1/4" x 30"	3 pcs	360 pcs
307 114X36	501230	1-1/4" x 36"	3 pcs	300 pcs
307 114X48	501231	1-1/4" x 48"	3 pcs	240 pcs
307 114X60	501232	1-1/4" x 60"	3 pcs	150 pcs
307 114X72	501233	1-1/4" x 72"	3 pcs	150 pcs

ITEM#	SKU#	NPS	BUNDLE	PALLET
1 1/2" · Rated maximum 231 psi at 400°F				
307 112X18	501220	1-1/2" x 18"	3 pcs	480 pcs
307 112X24	501221	1-1/2" x 24"	3 pcs	384 pcs
307 112X30	501222	1-1/2" x 30"	3 pcs	288 pcs
307 112X36	501223	1-1/2" x 36"	3 pcs	240 pcs
307 112X48	501224	1-1/2" x 48"	3 pcs	192 pcs
307 112X60	501225	1-1/2" x 60"	3 pcs	144 pcs
307 112X72	501226	1-1/2" x 72"	3 pcs	144 pcs

ITEM#	SKU#	NPS	BUNDLE	PALLET
2" · Rated maximum 230 psi at 400°F				
307 2X18	501249	2" x 18"	2 pcs	352 pcs
307 2X24	501250	2" x 24"	2 pcs	264 pcs
307 2X30	501251	2" x 30"	2 pcs	198 pcs
307 2X36	501252	2" x 36"	2 pcs	198 pcs
307 2X48	501253	2" x 48"	2 pcs	154 pcs
307 2X60	501254	2" x 60"	2 pcs	110 pcs



STZ's Pipe can be displayed in its own custom POP displays. We have various sizes available.

Part Number:
POP306R121
Description:
For 1/2" - 1" Pipe



Part Number:
POP306R122
Description:
For 1/2" - 2" Pipe

10' Pipe

STZ 10' pipe is the way to go when selecting water pipe for your residence. Our durable, schedule 40 galvanized steel is hydrostatically tested and available in sizes to fit residential and light commercial water applications. Our 10' pipe has protective durable plastic end caps that help ensure the pipe threads remain undamaged in transport.

*For use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



Plastic End-Caps



- Hydrostatically tested
- For use in temperature range 400°F to -29°F
- Galvanizing done by hot dip process, according to ASTM A153
- Certified to NSF 61 & Lead Free Law
- Made to ATSM A53 specifications

ITEM#	SKU#	NPS	BUNDLE	LIFT
315 12X120	502121	1/2" x 120"	5 pcs	110 pcs
315 34X120	502128	3/4" x 120"	5 pcs	90 pcs
315 1X120	502123	1" x 120"	3 pcs	60 pcs
315 114X120	502119	1-1/4" x 120"	3 pcs	45 pcs
315 112X120	502117	1-1/2" x 120"	3 pcs	36 pcs
315 2X120	502126	2" x 120"	1 pc	26 pcs

Merchant Couplings

STZ merchant couplings are 100% pressure tested and protected directly at the factory. They are available in sizes to fit residential water applications.

*For use with drinking water
*Always check your local plumbing and gas codes before starting any piping projects



ITEM#	SKU#	NPS	INNER QTY	CASE QTY
317 MCO-18	502147	1/8"	Box of 10	360 pcs
317 MCO-14	502146	1/4"	Box of 10	360 pcs
317 MCO-38	502152	3/8"	Box of 10	360 pcs
317 MCO-12	502145	1/2"	Box of 25	300 pcs
317 MCO-34	502151	3/4"	Box of 25	200 pcs
317 MCO-1	502142	1"	Box of 10	160 pcs
317 MCO-114	502144	1-1/4"	Box of 5	40 pcs
317 MCO-112	502143	1-1/2"	Box of 5	40 pcs
317 MCO-2	502148	2"	Box of 5	30 pcs
317 MCO-212	502149	2-1/2"	N/A	30 pcs
317 MCO-3	502150	3"	N/A	16 pcs
317 MCO-4	502153	4"	N/A	8 pcs

BEST / IN / CLASS

T W O G R E A T

RAIL SYSTEM:

Channels & rail cards available



MERCHANDISING

OPTIONS

CUT CASE BOX:

Slanted design makes product easy to find - even on lower shelves.



SMALLER PACK QUANTITIES



Five or ten pieces on most items - allows for quick turns.

COLOR CODING



Labels & UPC's are color coded by size, which allows for ease of shopping for the customer and increases efficiency for the store personnel.



Individual items are color coded.

RESTORE PIPE Décor™

-SUSTAINABLE- Wood Shelves DIY Steel Brackets

Wood that has been collected after forest fires or acquired through preventative deforestation to reduce the severity of future fires

Restore by PIPE DÉCOR™ caters to the environmentally conscious through the sustainable sourcing of our wood. This is not typical commercially mass-produced pressboard. Instead, the wood we use has been collected after forest fires or acquired through preventative deforestation to reduce the severity of future fires. Not only are you receiving a quality product, but you are also helping to preserve the forests of the American Southwest.

Thank you for doing your part to help restore our planet one shelf at a time.




Each kit contains

- (2) 24 inch or 36 inch sustainably sourced pine or fir boards
- Each board comes in one of six unique stains
- (4) or (6) industrial black steel pipe and malleable iron fitting DIY brackets
- Straight, elbow, and angled pipe brackets are available
- Hardware to hang the shelves in drywall or directly into studs


6 STAINS | 3 BRACKET STYLES | 2 SIZES

6 UNIQUE STAINS AVAILABLE


Trail
Brown




Sunset
Brown



Driftwood
Brown




Autumn
Brown



Boulder
Black



Riverstone
Grey



STRAIGHT BRACKETS





ELBOW BRACKETS



**24" & 36"
SHELVES**

PIPE LAMPS

JECOR



4 UNIQUE DESIGNS

EASY PUSH IN WIRING

SCHEDULE 40 BLACK STEEL PIPES

IRON FITTINGS

DO IT YOURSELF



built in dimmer



QUALITY STANDARDS



NSF61-4
NSF372



CA

Quality



Durability



Code Compliance



Support



Coda is committed to raising the industry standard for production, precision, and quality.

Every product manufactured by Coda meets or exceeds industry standards along with rigorous quality control standards the industrial markets expect from Coda.

Our quality assurance and quality control process includes continuous product testing throughout manufacturing and ensures compliance with all relevant codes.



Coda Resources

www.CodaResources.com

990 E North Avenue, Glendale Heights, IL 60148

Phone: 718-649-1666

Toll Free: 877-922-2538

Fax: 718-485-4403



www.CambridgeResources.com · www.STZIndustries.com
info@cambridgeresources.com · orders@stzindustries.com