


2021 PRODUCT CATALOG









DRIVEN BY INNOVATION

Leading with innovation, EZRED's focus is to design, manufacture and deliver the highest quality tools and lights through partnerships and global brands. With excellence in customer service and our unique understanding of markets, EZRED provides complete customer solutions to our partners.

In 1966, Tommy Tucker started EZRED as a battery tool and accessory company in upstate New York, since then EZRED has continuously grown and expanded its organization. Now serving the professional and consumer markets worldwide with specialty hand tools, tool organizers, LED flashlights and work lights. In 2012, Caterpillar selected EZRED to be the only global licensee for CAT LED Flashlights and Work Lights and this partnership holds strong today.

As a vertical company, EZRED has refined the innovation and go-to-market process. As a result, EZRED has the capabilities to rapidly achieve customer designs and product exclusivity, while controlling costs and reducing lead-times. This puts EZRED in a unique position to help our customers meet and exceed their goals.

New York

Corporate | Operations | Warehouse

8 Leonard Way Deposit, NY 13754

New Jersey

Sales | Marketing | Industrial Design

400 Morris Ave, Suite 251 Denville, NJ 07834

Contact

Inside the US: 1-800-522-7947 | International: 1-607-467-2866 For general inquiries: info@ezred.com | For Sales: sales@ezred.com

Our Global Offices

Deposit, NY – Denville, NJ – Brussels, Belgium – Shanghai, China – Taichung, Taiwan



TABLE OF CONTENTS

4S0412	BK26028	KS161224	NK154
4S04XL13	BK52026	KWP215	NR5M14
4S08XL13	BK53026	KWP216	PCOB-GR6
4S12L12	BK55026	MMS1415	PCOB-OR6
4S12SS13	BK56026	MR1210	PCOB-P6
4S12XL13	BK60128	MR1224F11	PCOB12PK6
4S38L12	BK60528	MR1224FL11	PCOB12PKC26
4S3XL13	BK605U28	MR12FL11	PCOB12PKC6
4SS813	BK70329	MR12XLC10	PCOB6
50122	BK70529	MR1410	PCOB6
50221	BK70629	MR1412F11	PG515
50322	BK70729	MR1412FL11	PP12PK23
50422	BK70829	MR14FL11	S52026
505BT20	BK720IM29	MR14XLC10	S53026
505JP20	BK72529	MR1X10	S92927
505JPN20	BK90127	MR3410	Scraper Kit17
505N21	BK91927	MR3810	SP1019
505ST20	BMK191425	MR3818F11	SP1029
50621	BT10424	MR3818FL11	SP1049
506CO21	EZ61225	MR38FL11	SPA250BK7
506COSSHQD21	EZTRAY-CLR8	MR38XLC10	SPR200BK7
507BT21	EZTRAY-QGR8	MR48210	T100018
50921	EZTRAY-QOR8	MR482FL11	WR10-RD8
509SSHQD21	EZTRAY-QRD8	MR482XLC10	WR4SL14
51623	HH100016	MS190017	WR5ML14
54123	HH4016	MS300017	WR7-RD8
B10625	HLS100018	MS400031	XL33004PK7
B110024	HS3418	MS400033	XL33007
BCK1832	KS1272P-C30	MS40017	XL55004PK5
BK1019	KS1272PCLP-C30	MS60017	XL55005
BK1029	KS1272PT-C30	MSBD2831	XLF10005
BK1049	KS1272PTCLP-C30	MSBD2833	XLM5005
BK20128	KS1440PTCLP-C30	NK104	XLUHL7

WARRANTY

The EZ Red Company will guarantee this product to be free of manufacturers defects for a lifetime of intended use. This warranty shall not apply to products that have been misused, abused, damaged by accident or otherwise. Repairs or modifications performed by anyone other than The EZ Red Company or an authorized repair center will result in a breach of this warranty. The EZ Red Company is not responsible for damage or personal injury resulting from improper tool usage, product modifications, or abuse. The EZ Red Company reserves the right to repair or replace any defective products that qualify under implied warranty. Discontinued items that are covered under this warranty will be repaired or replaced for a period of 90 days following the discontinued announcement. Not all EZ Red products are covered under this Limited Lifetime Warranty.

If within one (1) year from the date of purchase, the product fails due to a defect in material or workmanship, EZ Red Company will repair if possible or replace it free of charge. This warranty applies only to original purchaser, residing in the U.S. or Canada, and is nontransferable. EZ Red Company will not be liable for any incidental or consequential damages to purchaser, or any other party, for any loss, damage, injury, or expense of any kind or nature cause directly or indirectly by product or the failure of the product to operate properly. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is in lieu of all other express or implied warranties. All implied warranties, including the warranty of merchantability and the warranty of fitness of a particular purpose are hereby modified to exist only as stated above. The warranty does not

apply to: (a) damage cause by accident, abuse, in handling, dropping: (b)acts of Gods;(c) units which have been subject to unauthorized repair, opened, taken apart or otherwise modified (d) units not used in accordance with directions; (e) damages exceeding the cost of the product; (f) depreciated or loss of charge time; (g) the finish on any portion of the product, such as surface scratches and/or weathering, as this is considered normal wear and tear. Some states do not allow a limitation of damages so the forgoing limitations may not apply to you. This warranty gives you specific legal rights and you may also have other rights, which vary from state to state.

Any E-Z Red product found to be new defective should be returned to E-Z Red for replacement. Credit will not be issued for field scrap of new defectives. New defective products which are returned to E-Z Red for warranty credit and found to not be defective will be denied credit and returned at the customer's cost.End users who purchase an E-Z Red product found to be new defective are encouraged to contact E-Z Red directly for expedited replacement and resolution.

L90 = 90 DAY WARRANTY L1Y= 1 YEAR WARRANTY LLT = LIMITED LIFETIME ND = NEW DEFECTIVE

Questions? Please contact: warranty@ezred.com



NK10



ANYWEAR™ NECK LIGHT ALKALINE

- · Allows you to work hands-free
- 200 lumens
- Up to 5 hour run time per side
- Operate each light head independently
- · Rests comfortably around neck



NK15-OR NK15-GR DIMMABLE NK15 Counter display also avaiable 300 LUMENS

ANYWEAR™ NECK LIGHT USB RECHARGEABLE

- · Allows you to work hands-free
- 300 lumens
- Dimmable
- Operate each light head independently
- Rests comfortably around neck
- · Charging cord included





XLF1000 XLF1000-OR XLF1000-GR







10 WATT FOCUSING LIGHT ON-BOARD USB RECHARGEABLE

- Dimmible
- Focusing lens
- COB LED
- 1000 lumens on high
- 500 lumens on low
- 4 hour run time on high
- 8 hour run time on low
- **Outbound USB** charging
- Battery level indicators
- Aluminum construction
- Protective bumpers



Available in colors:















LOGO WORK LIGHT WITH MAGNETIC BASE

- Dimming feature
- Logo COB LED
- Rechargeable
- 500 Lumens, 3 hour run time on high
- · 250 Lumens, 6 hour run time on low
- Charge indicator lights
- Protective corner bumpers

XL5500 **XL5500-OR** XL5500-GR XL5500-BL



LOGO WORK LIGHT WITH MAGNETIC BASE

- Logo COB: 500 lumens high / 250 lumens low
- Top spot: 150 lumens
- Run time: up to 6 hours
- 5 hour charge time
- Micro USB charging
- Impact protection

- Ergonomic handle
- Separate switches
- Magnets on bottom and back
- Rotating nylon hook
- Slim design for easy access to tight areas











XL55004PK

All 4 colors in on package



PCOB







THE ORIGINAL POCKET LIGHT

- 175 lumens
- COB LED
- Magnetic base
- Up to 7 hours run time
- Pocket clip
- · Operates on 3 AAA batteries
- Weather-resistant button

PCOB PCOB-OR PCOB-GR PCOB-P



THE ORIGINAL POCKET LIGHT **HI-VIS COLORS**

- 175 lumens
- COB LED
- Magnetic base
- Up to 7 hours run time
- Pocket clip
- Operates on 3 AAA batteries
- · Weather-resistant button

Available in colors:









PCOB12PK PCOB12PKC PCOB12PKC2







THE ORIGINAL POCKET LIGHT **COUNTER DISPLAY 12 PK**

- 175 lumens
- · COB LED
- Magnetic base
- Up to 7 hours run time
- Pocket clip
- Operates on 3 AAA batteries
- Weather-resistant button







COB EXTREME WORK LIGHT RECHARGEABLE

- Logo COB: 500 lumens high / 250 lumens low
- Top spot: 150 lumens
- Run time: up to 6 hours
- 5 hour charge time
- Micro USB charging port
- Impact protection
- Ergonomic handle
- Separate switches
- Magnets on bottom and back
- Rotating nylon hook
- Slim design for easy access to tight areas

XL33004PK

All 4 colors in on package

SPA250BK

SPR200BK

SPOT POCKET SPOT LIGHTS

- COB Spot LED
- 250 lumens on High / 120 lumens on Low
- Beam distance: 27 meters
- Drop test: 1 meter
- Water-resistant
- Magnetic base

- Anodized aluminum body
- Heavy-duty clip
- 3 x AAA batteries included
- Cord incuded with rechageable version

XLUHL



HOOD HAWK RECHARGEABLE UNDERHOOD WORK LIGHT


- COB LED 1000 lumens on high setting
- 550 lumens on low setting
- 3 hour run time on high
- 6 hour runtime on low
- Clamp nearly anywhere

- Bumpers on clamp protect surfaces
- Light adjusts on two axes for easy positioning
- Tough and durable ABS construction



EZTRAY-QRD EZTRAY-QOR EZTRAY-QGR





EXPANDABLE MAGNETIC PARTS QUAD TRAY

- Flexible, expandable design allows for compact storage.
 - Four compartments keep parts separated and organized
- Embedded magnets help hold loose
- parts, hardware and fasteners to any ferrous surface
- Easy to clean and will not scratch surfaces.

EZTRAY-CLR



EXPANDABLE MAGNETIC PARTS TRAYS

- Flexible, expandable design allows for compact storage.
- Four compartments keep parts separated and organized
- Embedded magnets help hold loose
- parts, hardware and fasteners to any ferrous surface
- Easy to clean and will not scratch surfaces.



MAGNETIC WRENCH RACKS

- Magnetically holds wrenches
- Individual magnet design holds any size wrenches securely allowing easy one handed access.
- Designed to magnetically hold
- from the center of the wrench, unlike conventional "V" style holders.
- Heavy Duty anodized aluminum with magnetic bottom adheres to any steel surface.





MR14 MR38 MR12



EXTENDABLE RATCHETS

- Unique, extendable locking shaft
- Thermal Plastic over-molded handle ensures firm grip
- Precise 5 degree drive head contains 72 teeth
- Meets and exceeds ANSI torque requirement
- Replacement Head Kits available
- Warranty code LLT

MR12XLC MR38XLC MR14XLC



FULL CHROME HANDLE RATCHET

- Double Extra Long
- Full Chrome for easy cleaning
- Low profile
- Reversible switch
- Exceeds

- ANSI torque requirements
- · Replacement Head Kits available
- Warranty code LLT

MR34 MR1X



EXTENDABLE RATCHET

- · Unique, extendable locking shaft
- · Extends from approx - 24" to 40"
- Knurled handle ensures firm grip
- · Precise 15 degree drive head contains
- 24 teeth
- Replacement Head Kits available
- Meets and exceeds ANSI torque requirement
- Warranty code LLT



MR14FL MR38FL MR12FL



EXTENDABLE LOCKING FLEX HEAD RATCHETS

- Locking 180° flex heads
- 72 tooth drive
- Comfort grip
- Low profile
- Reversible
- Extendable locking shaft
- Exceeds
 - ANSI specs
- Warranty code LLT

MR482FL Set includes all 3 ratchets



MR1224FL MR3818FL MR1412FL





LOCKING FLEX HEAD FULL CHROME RATCHET

- Locking 180° flex heads
- 72 tooth drive
- Full chrome grip
- Low profile
- Reversible
- Extendable locking shaft
- Exceeds ANSI specs

MR1224F MR3818F MR1412F



FLEX HEAD COMFORT GRIP RATCHET

- 180° flex heads (non locking)
- 72 tooth drive Comfort grip
- · Low profile
- Reversible
- Exceeds ANSI specs
- Ratchets are available separately





4**S**12L



LOCKING QUARTER STICK

- ¼" Combination bit and square drive with locking heads
- Great for tight spots, under dashboards, and bumpers
- Custom Reversible switches Knurled low profile thumb
- wheels for extra precision
- Push button quick releases 180 degree locking flex heads at each end for multiple angles
- High polished chrome finish

4504



STUBBY QUARTER STICK

- Magnetically holds up to 10 wrenches
- Individual magnet design holds any size wrenches securely allowing easy one handed access.
- Designed to magnetically hold
- from the center of the wrench, unlike conventional "V" style holders.
- Heavy Duty anodized aluminum with magnetic bottom adheres to any steel surface.

4**S**38L



DUAL SQUARE DRIVE

- 15° offset heads
- Great for tight spots, under
- Dashboards, and bumpers
- Custom reversible switch
- · Knurled low profile
- Push button quick release
- High polished Chrome finish
- Covered by US
 Patent No. D677,
 536 and U.S. Patent
 No. 9,446,506



4SS8



S SHAPED QUARTER STICK

- S-shaped
- · 8 inches long
- 1/4" square socket and magnetic bit drives
- Made of chrome vanadium steel
- 5 degree return angle
- Robust and durable
- Fine-tooth ratch mechanism

4\$12XL 4\$08XL 4\$04XL

XL QUARTER STICKS

- 15° offset heads Great for tight spots, under dashboards, and bumpers
- Custom reversible switch
- Knurled low profile thumb

Set includes: 4S04XL 4S08XL 4S12XL

AL QUARTER STICKS

- wheel for extra precisionPush button quick release
- High polished Chrome finish
- Replacement heads available



4S12SS



33 PIECE SOCKET AND BIT QUARTER STICK SET

- 1/4" sockets:
 4mm, 5mm, 6mm,
 7mm, 8mm, 9mm,
- 10 mm, 11mm,
 12mm, 13mm
- 1/4" bits: PH 1, 2,
 3 PZ 0, 2(x 2pc),
 3 H3, 4, 5, 6
- T 8, 10, 15, 20, 25, 27, 30, 35, 40

- 1/4" drive 4" extension bar
- 4S04: Stubby bit and socket driver
- 4S12L: Extra long bit and socket driver
- Blow molded case.





WR5ML



5 PC. LOCKING FLEX HEAD RATCHETING WRENCH SET

- Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- Reverse switch
- foam tray
- Sizes: 8mm x 10mm 12mm x 14mm 13mm x 15mm 16mm x 18mm 17mm x 19mm

WR4SL



4 PC. LOCKING FLEX HEAD RATCHETING WRENCH SET

- Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- Reverse switch
- foam tray
- Sizes: 5/16" x 3/8" 7/16" x 1/2" 9/16" x 5/8" 11/16" x 3/4"

NR5M



5 PC. LOCKING FLEX HEAD RATCHETING WRENCH SET

- Box ends with offset heads for greater reach capabilities
- Extra Long Spline with 180 degree locking flex heads
- Reverse switch
- foam tray
- Sizes: 5/16" x 3/8" 7/16" x 1/2" 9/16" x 5/8" 11/16" x 3/4"



PG5



5 IN 1 PISTOL GRIP PLIERS

- 10" long nose pliers
- crimping, cutting, wire stripping, and
- fastener extraction functions
- Offset jaws offer a clear line of sight
- Pistol grip is easier to use in difficult to reach areas

KWP2



KIWI PLIERS SET

- Includes 6" short nose and 8" long nose Kiwi Pliers
- Needle-nose pliers at an angle
- More powerful grip with less effort
- Better hand alignment provides a clear line of sight
- Curved handles fit your hand more comfortable
- Internal spring opens the pliers jaws
- Made from heattreated, long-lasting quality steel

MMS14



28 PIECE 1/4" MINI MASTER SET

- 15° offset heads
- Great for tight spots, under
- Dashboards, and bumpers
- Custom reversible switch
- Knurled low profile
- Push button quick release
- High polished Chrome finish
- Covered by US Patent No. D677, 536 and U.S. Patent No. 9,446,506





HH1000 HH40



LOCKING EXTENDABLE HOOD PROPS

- Exclusive double locking system includes button locks and clutch locks
- Special guide channel ensures the

ITEM #	COLOR	MIN LENGTH	MAX LENGTH	DIAMETER
HH1000	Red	25"	60"	r
ITEM #	COLOR	MIN LENGTH	MAX LENGTH	DIAMETER

Red

- button lock to line up every time
- The only prop to hold SUV, crossover and mini-van gates 100% open
- Made of thick wall tube aluminum

MM36 SWMM36 MM38



PICK UP MAGNETS

- Telescoping with clutch locks
- Insulated handle
- Neodymium rare earth magnet
- Will start bolts in tight spots
- Made of thick wall tube aluminum

ITEM #	STRENGTH	MIN LENGTH	MAX LENGTH	MAGNET SIZE
MM38	10 lbs.	20.5"	36"	.50° X 1°
ITEM#	STRENGTH	MIN LENGTH	MAX LENGTH	FEATURE
SWMM36	10 lbs.	22*	38"	180 DEGREE LOCKING SWIVEL HEAD
ITEM #	STRENGTH	MIN LENGTH	MAX LENGTH	MAGNET SIZE
MM38	20 lbs	20.5"	38"	1" X .25"









MS1900







19" RAZOR SCRAPER

- Super heavy duty
- Extra long
- Aluminum body and head
- Comfortable poly foam grip
- Store up to 15 extra blades in the handle

MS3000 Scraper Kit

Kit includes: MS400 MS800 MS1300



MS600





6" RAZOR SCRAPER

- Pocket sized
- Single-edge razor blade included
- Heavy-duty, made to last
- Angled head
- Aluminum body
- · Red vinyl grip
- Available in bulk or in counter display of 10 scrapers

MS400





4" RAZOR SCRAPER

- Compact at 4" long
- Solid aluminum body
- Scrape in tight spots
- Ergonomic design
- Single-edge razor blade included





T1000



LOW PROFILE TORX BIT SET

- Super low profile design allows for superior access
- Wrench drive side fits securely on any 10mm,12mm, or
- 17mm wrench or socket.
- Precision made
- Sizes: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50, T55, T60

HLS1000



LOW PROFILE HEX BIT SET

- Super low profile design allows for superior access
- Wrench drive side fits securely on any 10mm,12mm, or
- 17mm wrench or socket.
- Precision made
- Sizes: SAE 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8

HS34



HEAT SHRINK SET

- 8 Different size tubes.
- 158 Total pieces.
- Tubes shrink to fit over cable splices
 2:1 Shrink Ratio.
- Case features a molded in ruler.
- Assortment includes

sizes in multi-colors:. 2.5 x 170mm, 3.0 x 170mm,

5.0 x 150mm,

6.0 x 150mm, 16 x 170mm, 10

x 170mm, 12 x 170mm, 20 x

170mm



BK101 SP101





BATTERY HYDROMETER

- Temperature compensating
- Obtain direct, accurate readings
- Wide range of 1.100 – 1.300 SG
- Unbreakable,
 E-Z to read,
 economical
- Used by battery manufacturers worldwide

BK102 SP102



ANTI-FREEZE HYDROMETER

- Tests ethylene glycol solutions
- Temperature compensating
- Obtain direct, accurate readings
- Wide range: +32°F to –60° F

- Fahrenheit & Celsius scales
- Unbreakable, E-Z to read
- Tests both hot and cold solutions
- Tests Dex-Cool® (Used in late model vehicles)

BK104 SP104



WINDSHIELD WASHER HYDROMETER

- Tests methanol solutions
- Temperature compensating
- Obtain direct, accurate readings
- Wide range:
 +32°F to 60° F
- Fahrenheit & Celsius scales
- Unbreakable, E-Z to read



505BT

Fiberglass shaft





Steel shaft

5058TSSWQD	.25"	1.02*	1.63" X 2.50"	18mm	.625*
ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
5058T	.31*	1.18*	1.83" X 2.64"	16mm	.625*
ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH

"BENT-TOOTH" POWER POST CLEANER

- The wires have a 70° bend.
- Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended

505ST

Fiberglass shaft



ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
50557	.31*	1.18"	1.83" X 2.64"	16mm	.625*
ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
505STSSHQD	.25*	1.02*	1.63° X 2.50°	18mm	.625*

"STRAIGHT-TOOTH" POWER POST CLEANER

- Wires are perpendicular from the inside circumference.
- Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended

505JP 505JPN





ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505JP	.25*	1.062*	11-15mm	1.75*	1,82° X 2.5°
ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505JPN	.25*	1.062*	11-13mm	1.75*	1.83" X 2.75"

"JIS" POWER POST CLEANER

- JIS indicates Japanese Industrial Standard
- Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended



505N

Fiberglass shaft

Steel shaft



ITEM #	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505N	.25*	1.062*	16mm	1.75*	1.83" X 2.75"
ITEM#	STEM SIZE	STEM LENGTH	MAX POST DIAMETER	MAX POST LENGTH	DIMENSIONS
505NSSHQ0	.25*	1.02"	16mm	1.75*	1.63" X 2.50"

NEGATIVE SIZE POWER POST CLEANER

- The wires have a 70° bend.
- · Clean up to 50 posts per minute
- 400 to 800 RPM is strongly recommended

506

Fiberglass shaft



506CO 506COSSHQD

Fiberglass shaft





509 IQD 509SSHQD

Fiberglass shaft





SIDE TERMINAL POWER POST CLEANER

- 506 Center brush cleans inside thread of side terminal batteries
- 506CO Center hole accommodate the threaded stud
- · Outer brushes clean contact area

UTILITY BRUSH

- 509 Cleans Side terminals
- Removes corrosion from a variety of surfaces

507BT







ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
50787	.31*	1,18"	1.83" X 2.89"	18mm	.85*
ITEM #	STEM SIZE	STEM LENGTH	DIMENSIONS	MAX POST DIAMETER	MAX POST LENGTH
		1.18"	1.83" X 2.89"	Son	.80"

COMMERCIAL BATTERY POWER POST CLEANER

- 507BT Clean battery posts up to 1 inch in height
- Cleans tops and sides of battery posts

BI-LEVEL MARINE POWER POST CLEANER

- 502 Top layer of staple cloth cleans threaded area.
- Bottom layer cloth cleans the lead base.





501

BK501



SP501





BK50110PK

BATTERY TERMINAL CLEANER WITH WIRE BRUSH

- · Highest quality cleaner of its kind
- Brush will not twist loose
- Protective cover fits both ends
- Clean top post terminals
- Great for battery cable ends
- Ensures a great connection
- · Available on vinyl cards or bulk

503

BK503



SP503



BATTERY JANITOR

- Reshape battery terminals
- Ensures a great connection
- Steel blades stay sharp
- · Highest quality cleaner of its kind
- Made from unbreakable plastic
- Available on vinyl cards or bulk

504

BK504



CDEU1



SP50410PK

BATTERY TERMINAL CLEANER WITH STEEL BLADES

- Reshape battery cable ends
- Staple cloth removes corrosion from posts
- Ensures a great connection
- Steel blades stay sharp
- Protective cover fits both ends
- Made from durable plastic
- Available on vinyl cards, bulk, or counter display



516

BK516



SP516R





BK51620PK

SIDE TERMINAL CLEANER

- · Center brush cleans threaded area
- Circular outer brushes clean contact area
- Cleans cable end with stud removed ¼" ratchet included with the EZSP516R
- Can be used with ¼" impact tools
- Available packaged, bulk, or counter display

541

BK541



SP541





BK54110PK

4-IN-1 BATTERY POST AND TERMINAL CLEANER

- Service most battery post types and cable ends
- Top post, Group 31 Truck, Marine, and Side Terminal
- Available packaged on vinyl card for retail sales, bulk, or counter display

PP12PK



Now with BK534SSHQD steel shaft brushes



QUICK DISCONNECT BATTERY TERMINAL CLEANER KIT

- KIT INCLUDES
- 3 pieces 505BTSSHQD top post power battery brushes
- 3 pieces 506COSSHQD side terminal and group 31 brushes
- 3 pieces 509SSHQD utility brushes
- 3 pieces BK534SSHQD utility brushes





KS1612



250 AMP BATTERY LOAD TESTER

- 15 second manual test
- 0-16 volt scale
- 6 and 12 volt zones
- Convenient 6 & 12 volt test buttons
- 4 gauge test leads
- Will test up to a 500 CCA battery
- No sparking at the battery as connection is made inside the tester.

BT104



125 AMP BATTERY LOAD TESTER

- Test 6 and 12 volt batteries.
- This rugged unit is built to last.
- Heavy duty insulated safety clamps with 300 Amp jaws.
- Perform diagnostic tests: state of charge, battery load test, charging system test.
- Lightweight and easy to use.
- Pistol grip

B1100



100 AMP BATERY LOAD TESTER

- Test 6 and 12 volt batteries
- Test complete in 10 seconds
- Copper plated clamps
- Instructions on back label



EZ612



DIGITAL VOLT METER

- Test both 6 and 12V batteries
- · Checks charging systems
- Tests to within 1/100th of a volt
- Polarity reversal and over voltage protection
- Accuracy: ± .03 DCV

B106



2-IN-1 REFRACTOMETER

- · Use only one drop of solution
- · Adjustable lens focus
- Test Propylene Glycol
- Test Ethylene Glycol
- · Calibration adjustment screw
- Check state of battery charge (specific gravity)
- Screwdriver, eyedropper, and padded case included.
- Fahrenheit & centigrade scales

BMK1914



BATTERY MAINTENANCE KIT

- This kit includes everything for cleaning and maintaining battery terminals
- BK541 4-in-1 Battery Terminal Cleaner
- BK703 5/16" Side Terminal Ratchet
- BK708 10mm Side Terminal Ratchet
- BK705 XL 5/16" Side Terminal Ratchet
- BK725 Battery Pliers
- BK720IM Battery Terminal Spreader
- BK706 Battery Terminal Puller





BK520 S520



SIDE BATTERY LIFTER

- All steel construction makes this battery lifter last a long time
- The rubber pads are adhered with a super strong adhesive
- Non-slip ribbed vinyl hand grip
- Lift batteries from 4½ to 7½ inches wide

BK530 S530





SCISSOR STYLE BATTERY LIFTER

- Tapered design for tight spots
- Round over teeth grip battery tight
- Heavy duty rivets
- All steel Construction
- Fits virtually all car batteries including group 65
- Double grip jaw with zinc plated safety catch
- Heavy duty acid resistant vinyl strap

BK560



GOLF CART BATTERY LIFTER

- Lift deep cycle golf cart batteries from golf carts
- Place the hooks on the end of the lifter into the slots at the ends of the battery



BK901



AUTO SHUT-OFF BATTERY FILLER

- Test both 6 and 12V batteries
- Checks charging systems
- Tests to within 1/100th of a volt
- Polarity reversal and over voltage protection
- Accuracy: ± .03 DCV

BK919



BULB TYPE BATTERY FILLER

- 6 ounce capacity
- Acid resistant
- Built in hanger
- · Compact at 9 inches long

S929



DRY CHARGE BATTERY FILLER

- Fast, neat way to fill batteries
- S929ADP motorcycle battery adapter is included
- Positive thumb release valve controls acid flow
- Cell-eye shows when cell is full
- Ribbed nipple holds tube on snugly
- Spacers included for different fill heights





BK201



FORMATION JUMPERS WITH CUP ENDS

- · Simple to install on many different battery types
- Pre-tinned wire end
- Used by battery manufacturers
- 10 gauge wire
- Universally sized

BK260



Replacement 50 amp clips with insulators are availabble - P/N: BK500

FORMATION JUMPERS WITH CLIP ENDS

- 50 amp clips, crimped and soldered to wire
- Pre-tinned wire for a secure bond
- · loints will not loosen or corrode
- E-Z to install and remove
- Can be used on many different battery types

BK601 BK605 BK605U

BK601



Side terminal universal



Group 31 universal

BK605P



Group 31 positive

BK605U



BK605N



Group 31 negative

BATTERY CHARGING POSTS

- BK601 is a one size fits all (Universal) 3/8" -16 thread size
- Used for charging, testing or as an adapter
- BK605 / BK605U fits the 3/8" -16 threaded stud on a group 31 battery



BK703 BK705 BK707 BK708

BK703 5/16"



BK707 5/16" and 10mm



BK705 10mm



BK708 5/16"



RATCHETING BATTERY TERMINAL WRENCHES

- Reversible ratcheting box wrenches
- Made of heavy duty chrome plated steel
- Use for side terminal batteries only
- Insulated handle
- Accommodates the 506 side terminal cleaner

BK720IM BK725

BATTERY TERMINAL SPREADERS

BK720IM



- Spreads and cleans clamp in one quick operation
- · Prolongs battery terminal life
- Insulated handles

BATTERY TERMINAL PLIERS

BK725



- Contoured head fits in tight spots
- Grips hex, square, or rounded nuts
- Drop forged steel jaws
- Insulated handles

BK706



BATTERY TERMINAL PULLER

- · Tapered jaw will not damage post
- Adjustable height
- Knurled pressure screw
- Internal springs



KS1272P-C KS1272PT-C KS1272PCLP-C KS1272PTCLP-C



120V AC SERIES BATTERY CHARGER

- Charge rate: 0 to 8 amps
- Maximum charging capacity:
 72 cells in series (12 twelve volt batteries)
- Input: 120 volts 50/60 hertz
- Output: 0-140 volts DC
- Max output capacity: 8 amps
- Max KVA: 1.40

KS1440PTCLP-C



240V AC SERIES BATTERY CHARGER

- · Charge rate: 0 to 8 amps
- Maximum charging capacity: 144 cells in series. 24 twelve-volt batteries or 48 six-volt batteries
- Input: 240 volts 50/60 hertz
- Output: 0-280 volts DC
- Max output capacity: 8 amps
- Max KVA: 2.6


Series Chargers



Rectifier 01306 (1272-C Series) 01304 (KS1440PTCLP-C)



Rectifier 01306 (1272-C Series) 01304 (KS1440PTCLP-C)



Rectifier 01306 (1272-C Series) 01304 (KS1440PTCLP-C)

REPLACEMENT PARTS

 These are the most common parts for replacement for our series chargers.





MS4000



SUPER MEMORY SAVER

- Direct wired OBD-II Connector
- 12 volt 4.5 amp hour sealed battery
- Power on / power off switch
- Protected by a 4 amp circuit breaker
- Saves all codes and settings when disconnecting a vehicle's battery

Protects settings and codes for:

- Anti-theft radios
- Clocks
- Keyless entry systems
- Alarms
- Cell phone settings
- GPS memory
- TPMS

MS4000 REPLACEMENT PARTS





FABD25 (accessory)



00501 (sealed lead acid battery)



00503 (OBDII cord)

MSBD28



AUTOMOBILE AUXILIARY POWER OUTLET TO OBD-II MEMORY SAVER

- Prevents the loss of electronic memory when disconnecting the vehicle's battery
- High visibility coiled cord
- Easy storage in tool box
- OBD-II connection uses positive and ground pins only, will not interfere with fault codes
- Includes in-line fuse





B1218



WIRE SHEAR

- Portable
- Cuts cable from 8 Ga. 4/0
- 3/8" drive holding fixture on top and bottom
- · Cuts cable on the vehicle
- Includes optional bench mount
- Works with 3/8" ratchet or impact driver

B798



HEAVY-DUTY COPPER CABLE CUTTERS

- Cuts cable up to 3/4" in diameter
- 14" handle length
- · Carbon steel blades
- Insulated handle
- Not for solid copper or steel, strand copper only

B796



9" CUTTERS COPPER CABLE/ WIRE

- Cuts wire and cable up to 2/0 gauge
- Store in any tool box
- Insulated handles
- Great gas line cutting too
- · Not for solid copper or steel,
- Strand copper only



BCK18



BATTERY CABLE KIT

- All the tools needed to repair, build and create battery terminal cables on or off the vehicle.
- This set of heavy duty tools can be used with a pneumatic driver or ratchet as well as the included breaker bar.
- Making precise cuts and crimps has never been easier

Kit Includes:

- B7946 battery terminal crimper
- BCK18-011 battery cable stripper
- B1218 copper strand cable cutter
- BCK18-022 mini breaker bar
- B1218-BM universal bench mount

hmmmm... HMMM...

videbis in etus, inveliq uidebitinti ut veliquae. Ut quatibu sdant.

Ugitatem delendit autatiaerum

I need to put the wire stripper - 793CS in the catalog still. I was thinking of putting the parts in the kit here? I am a little stuck here if I make it a 3 product page, it will be lacking a product?







B7946



3 POINT COPPER TERMINAL CRIMPER

- Crimps terminal ends to cables
- 8 guage to 4/0 AWG cable sizes
- 3/8" drive holding fixtures,
- Designed for 3/8" impact tools
- Crimps cables right on the vehicle
- Great for stereo installs and under dashboards
- Hardened drive screw for precise crimps

B790C



HAMMER INDENT CRIMPER

- Spring loaded pin
- Compact and Lightweight
- 8 gauge to 4/0 AWG
- Made from cast steel

B795

HEAVY DUTY CRIMPER

- Exerts equal pressure on all contact points
- 50 different crimp settings
- · No dies to replace or mis-align
- 6 gauge through approximately 5/8" cable



EZLINE



Includes: 4 lasers, 2 fifth wheel pin adapters, and tape measure. Packaged in a blow-molded case.

EZLINE® LASER ALIGNMENT TOOL KIT

- For 18 wheelers, RV's, commercial vehicles and trailers.
- Works with 95% of vehicles 2 1/2 tons and higher.
- Precise axle & wheel alignment
- All measurements can be made quickly
- Can align a fully loaded vehicle
- Aligns drop and tag axles

EZLINEB1SW



Includes: 4 lasers, 2 fifth wheel pin adapters, 2 drive wheel adapters, two steer wheel bars, tape measure, and software package. Packaged in a blow-molded case.

EZLINE® COMPLETE LASER ALIGNMENT TOOL

- For 18 wheelers, RV's, commercial vehicles and trailers.
- Works with 95% of vehicles 2 1/2 tons and higher.
- Precise axle & wheel alignment
- All measurements can be made quickly
- Multipurpose measurement capabilities
- · Can align a fully loaded vehicle
- Aligns drop and tag axles

EZSSS EZLDWA



EZSSS 4 – Spacers designed to accommodate super single wheels.



EZLDWA 2 – Drive wheel adapters designed to accommodate drive axle wheels that have automatic tire selfinflation systems.

FULL PARTS LIST

Part #	Description
EZLINE	EZ Line Laser Trailer Alignment Kit
	Basic EZLINE Package with Software
EZLDWA	U-Shaped Drive Wheel Adaptors (2)
EZLSSS	Super Single Spacers (4)
EZLBUS	Coach Bus Front Bar Adapters
EZLINEIL	Individual Laser
EZLINEHA	Hub Adapter Kit (2)
EZLINEPA	Fifth Wheel Pin Adapter
EZLINESW	Software
EZLINETP	Tape Measure